



U.S. Department of Transportation

National Highway Traffic Safety Administration

#### Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

\*\*\* \*\*\* \*\*\*



### **CASE SUMMARY**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

PSU	81	CASE NO.	014A	TYPE OF ACCIDENT	Lt.	Truck/Tree	-	Left	Side	Departure
rou	01	CASE NO.	01711	TIFE OF ACCIDENT						

### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. <u>Do not include any personal identifiers.</u>)

"See Attached"

B. VEHICLE PROFILE(S)						
	Class		Most Sever Based on Vehi			
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Severity Description	Component Failure	
'						

	C. PERSON PROFILE(S)						
Vehicle	Person	Seat	Restraint		Most S	Severe TED BY	Injury ZONE CENTER)
No.	Role	Position	Use	Body Region	Injury Type	AIS	Injury Source
			:				
					·		
	•						
					·		

#### **Body Region**

Abdomen
Ankle—foot
Arm (upper)

Back-thoracolumbar spine

Brain
Chest
Ears
Eye
Elbow
Face
Forearm
Head — skull
Heart
Kidneys
Knee

Lower limbs(s) (whole or unknown part)

Liver Lower Mouth

Leg (lower)

Neck-cervical spine

Nose

Pelvic-hip

Pulmonary—lungs

Shoulder Spleen Thigh

Thyroid, other endocrine gland Upper limb(s) (whole or unknown

part) Vertebrae Whole body Wrist-hand

#### **Injury Type**

Abrasion Amputation Avulsion Burn Concussion Contusion Crush

Detachment, separation

Dislocation

Fracture

Fracture and dislocation

Laceration Other

Perforation, puncture

Rupture Sprain Strain

Total severance, transection

Unknown

#### **Abbreviated Injury Scale**

(1) Minor injury

(2) Moderate injury

(3) Serious injury

(4) Severe injury

(5) Critical injury

(6) Maximum (untreatable)

(7) Injured, unknown severity

### DO NOT SANITIZE THIS FORM

PSU81 1996 Case Summary Form CASE 014A
TYPE OF ACCIDENT: LT.TRUCK/TREE-L.SIDE DEPARTURE

#### A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

Vehicle #1 was traveling northbound on a two lane, two way, undivided roadway. The road was icy and slightly uphill. Vehicle #1 attempeted to pass another vehicle, lost control and left the roadway on the left shoulder. Vehicle #1 entered a ditch and struck a series of four trees and then rotated CCW and came to rest facing southwest with its rear wheels in the southbound lane. The driver was totally ejected and fatally injured. Vehicle #1 was towed due to damage.

PSU81

1996 Case Summary Form

CASE 014A

TYPE OF ACCIDENT: LT.TRUCK/TREE-L.SIDE DEPARTURE

### B. VEHICLE PROFILE(S)

V		!	Most Severe on Vehicle	Damage Base Inspection	ed 
e h. No	Class of Vehicle	Year/Make/ Model	Damage Plane	Severity Descr.	Component Failure
01	Pickup	1995 Chevrolet	Front	Severe	None

O1

PSU81 1996 Case Summary Form CASE 014A

TYPE OF ACCIDENT: LT.TRUCK/TREE-L.SIDE DEPARTURE

### C. PERSON PROFILE(S)

					(TO BE	Most Sever			-	
	V				* 1 * L.J * A* f	"" 71.2" I I I II				
	e				. 1	*	A		7	
	h. No	Person Role	Seat Positon	Restraint Use	Body Region	Injury Type	I S		Injury Source	
			***************************************	## ## ## ## ## ## ## ## ## ## ## ## ##		t				
O	01	Driver	F/L	Air Bag	Brainstem	Compressi	on	5 A	-Pillar	


0



ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM


CRASHWORTHINESS DATA SYSTEM



### **ACCIDENT COLLISION DIAGRAM**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Scale: 1 centimeter = \_\_



# ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

d	ministration		
•	Primary Sampling Unit Number	Case No	umber – Stratum <u>O / </u>
	Primary Sampling Unit Number  ACCIDENT COLL  Document the physical plant:  * all road/roadway delineation (e.g., curbs/edge lines, lane markings, median markings, pavement markings, parked vehicles, poles, signs, etc.)  * all traffic controls (e.g., signs/signals, etc.)  * north arrow placed on diagram	Pocument vehicle dynamics including:  reference point and reference line relative to physical features present at the scene  scaled documentation of all accident induced physical evidence  scaled documentation of all roadside objects contacted  scaled representations of the vehicle(s) at	CRASH DATA  VEH. #1 VEH. #2 VEH. #3  Heading Angle  Surface Type  Surface Condition  Coefficient of Friction
	roadway surface type and condition of applicable roadways     grade measurements for all applicable	pre-impact, impact, and final rest based upon either:  a) physical evidence, or	Grade (v/h) Measurement (between impact and final rest)  Pos  7/12Z_
	roadways and at location of follower initiation  • roadway curvature (include measurement of precrash superelevation for each	b) reconstructed accident dynamics	Grade (v/h) Measurement (at location of rollover initiation) Grade (v/h)
	vehicle if applicable)		Measurement Pos

Reference Point: LARGE TOEE W OF	Reference line: WES	T FOG LINE
R.L.		
Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
R.P.	16.9 5. OF THE DRIVEWAY	3,7W
R.L.	3.7 E	0
I A#1 SMALTREE	2.95	3.6 W
Imp#1 SMALTREE  11 #2 LARGE 11  (0P)11 #3 11 "	2.3 5	3.8 W
(R.P.)" #3 " "	Ø	3.7 W
(R.P.)" #3 /1	2.6 N	3.4 W
Gouge MYZILS STON		
# / BEGINS	3.7N/9.0 N	1.4W/.6W
# 7 = 200 = 11.	4.5 N / 5.0 N	1.7 W / 1.7 W
H 3 ;	5.3N/5.9N	.8 E / .7 E
# 2/ ;;	7.0 N / 7.8 N	.2 E / .3 W

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
	· ·	
	<u> </u>	

### **ACCIDENT FORM**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

١.	Primary	Sampling	Unit	Number	
• •	,		•		

81

2. Case Number - Stratum

014A

### **IDENTIFICATION**

3. Number of General Vehicle Forms Submitted

01

4. Date of Accident (Month, Day, Year)



5. Time of Accident

0007

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

### **SPECIAL STUDIES - INDICATORS**

Check ( ) each special study (SS15-SS18 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. \_\_\_\_ SS15 Administrative Use

0

0

7. \_\_\_ SS16 Pedestrian Crash Data Study

(Data for this special study available in a separate file.)

0

8. \_\_\_ SS17 Impact Fires

7

9. \_\_\_ SS18 Unsafe Driver Actions

 $\subseteq$ 

10. SS19 Run Off Road

0

### **NUMBER OF EVENTS**

11. Number of Recorded Events in This Accident

04

Code the number of events which occurred in this accident.

### **ACCIDENT EVENTS**

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object in the right columns.

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>O l</u>	14. 31.	15. <u>F</u>	16. <u>42</u>	17. <u>· 00</u>	18. <u>O</u>
19. <u>0 2</u>	20	21. 31	22. <u>F</u>	23. 42	24. <u>O O</u>	25.0
26. <u>0</u> <u>3</u>	27. <u>O  </u>	28. 31	29. <u>F</u>	30. 42	31. <u>·00</u>	32. <u>O</u>
33. <u>0 4</u>	34. <u>0 [</u>	35. <u>31</u>	36. FR	37. 42	38. <u>00</u>	39. <u>Ø</u>
40. <u>0</u> <u>5</u>	41	42	43	44	45	46

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

(01) Not a motor vehicle (01) Subcompact/mini (wheelbase < 254 cm) (02) Compact (wheelbase > 254 but < 265 cm) (03) Intermediate (wheelbase > 256 but < 278 cm) (04) He size (wheelbase > 256 but < 278 cm) (05) Lintermediate (wheelbase > 256 but < 278 cm) (05) Largest (wheelbase > 256 but < 278 cm) (05) Unknown passenger care size (05) Unknown passenger care size (16) Compact utility vehicle < 4,536 kgs GVWR) (17) Largest (wheelbase > 236 but < 278 cm) (18) Unknown light truck (x 4,536 kgs GVWR) (18) Unknown utility vehicle < 4,536 kgs GVWR) (19) Unknown utility vehicle < 4,536 kgs GVWR) (19) Unknown utility vehicle < 4,536 kgs GVWR) (19) Unknown might vehicle < 4,536 kgs GVWR) (20) Minivan (x 4,536 kgs GVWR) (21) Unknown might vehicle < 4,536 kgs GVWR) (22) Other van type (x 4,536 kgs GVWR) (23) Unknown might vehicle < 4,536 kgs GVWR) (24) Unknown van type (x 4,536 kgs GVWR) (25) Unknown medium/heavy truck type (26) Motorad cycle (27) Unknown medium/heavy truck type (28) Unknown medium/heavy truck type (29) Unknown medium/heavy truck type (20) Unknown medium/heavy truck type (20) Unknown medium/heavy truck type (21) Undercarriage (21) Undercarriage (22) Univnown medium/heavy truck type (23) Unknown medium/heavy truck type (24) Univnown medium/heavy truck type (25) Unknown (26) Unknown (27) Undercarriage (28) Unknown (28) Unknown (29) Unknown (29) Unknown (20) Unknown (20) Unknown (20) Unknown (20) Unknown (20) Unknown (21) Unknown (22) Unknown (23) Unknown (24) Unknown (25) Unknown (26) Unknown (27) Peace (27) Peace (28) Unknown (28) Unknown (29) Unknown (29) Unknown (20) Unknown (21) Unknown (22) Unknown (23) Unknown (24) Unknown (25) Unknown (26) Unknown (27) Peace (28) Unknown (28) Unknown (29) Unknown (29) Unknown (20) Unknown (20) Unknown (20) Unknown (20) Unknown (20) Unknown (20) Unk			. CODES FO	OR CL	ASS OF VEI	HICL	E	
CDS APPLICABLE (I) Not a motor vehicle (I) Left side (I) Undercarriage (I) Unknown -  TDC (I) Not a motor vehicle (I) Back (II) Left side (II) Unknown -  TDC (III) Noncollision (III) Back (III) Left side (IV) Undercarriage (IV) Unknown -  TDC (IV) Not a motor vehicle (IV) Left side (IV) Front of cargo area (rear of trailer or straight truck) (IT) Top (IV) Undercarriage (I	(01) Subcompact/mini (wheelbase < 254 cm) (02) Compact (wheelbase ≥ 254 but < 265 cm) (03) Intermediate (wheelbase ≥ 265 but < 278 cm) (04) Full size (wheelbase ≥ 278 but < 291 cm) (05) Largest (wheelbase ≥ 291 cm) (09) Unknown passenger car size (14) Compact utility vehicle (15) Large utility vehicle (≤ 4,536 kgs GVWR) (16) Utility station wagon (≤ 4,536 kgs GVWR) (19) Unknown utility type (20) Minivan (≤ 4,536 kgs GVWR) (21) Large van (≤ 4,536 kgs GVWR) (24) Van Based school bus (≤ 4,536 kgs GVWR) (28) Other van type (≤ 4,536 kgs GVWR) (29) Unknown van type (≤ 4,536 kgs GVWR)				(38) (39) (45) (48) (49) (50) (58) (59) (60) (67) (68) (78) (79) (80) (90)	Other Unk Other Unk Sch Other Unk Truck Truck Unk Unk Other Unk Other Other Unk Other Unk Other Unk Unk Unk Other Unk Unk Unk Other Unk Unk Unk Other Unk	er pickup truck (≤ 4,53 nown pickup truck type er light truck (≤ 4,536 nown light truck type (nown light vehicle type ool bus (excludes van ber bus (> 4,536 kgs Gnown bus type ck (> 4,536 kgs GVWletor without trailer ctor-trailer(s) nown medium/heavy trown light/medium/heavored cycle er vehicle	e (≼ 4,536 kgs GVWR) e (≼ 4,536 kgs GVWR) kgs GVWR) (≼ 4,536 kgs GVWR) e based)(>4,536 kgs GVWR) iVWR) R)
CDS APPLICABLE (I) Not a motor vehicle (I) Left side (I) Undercarriage (I) Unknown -  TDC (I) Not a motor vehicle (I) Back (II) Left side (II) Unknown -  TDC (III) Noncollision (III) Back (III) Left side (IV) Undercarriage (IV) Unknown -  TDC (IV) Not a motor vehicle (IV) Left side (IV) Front of cargo area (rear of trailer or straight truck) (IT) Top (IV) Undercarriage (I			CODES FOR GENER	AL A	AREA OF	DA	MAGE (GAD)	
APPLICABLE (N) Noncollision (B) Back of unit with cargo area (F) Front (rear of trailer or straight truck) (U) Undercarriage (9) Unknown  CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED (10-30) — Vehicle Number (57) Fence (58) Wall (59) Building (31) Overturn — rollover (excludes end-over-end) (60) Ditch or culvert (33) Fire or explosion (32) Rollover — end-over-end (61) Ground (33) Fire or explosion (62) Fire hydrant (63) Curb (63) Other intraunit damage (specify): (68) Ditch or culvert (57) Force (58) Wall (59) Building (59) Unknown (59) Unknown (59) Building (59) Building (59) Unknown fixed object (specify): (69) Ditch or culvert (51) Pole or post (51) Or min diameter) (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (specify): (69) Unknown fixed object (specify): (70) Passenger car, light truck, van, or other vehicle not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian (73) Cyclist or cycle (74) Other nonmotorist or conveyance (75) Pole or post (51) Or m but \$30 cm in diameter) (76) Animal (77) Train (77) Train (77) Train (77) Train (77) Train (77) Train (77) Pole or post (51) Or m but \$30 cm in diameter) (79) Object fell from vehicle in-transport	AND OTH	IER	(0) Not a motor vehicle (N) Noncollision	(R) (L)	Right side			(U) Undercarriage
Noncollision   (57)   Fence   (58)   Wall   (58)   Building   (58)   Building   (59)   Building   (	APPLICAE		(N) Noncollision (F) Front	(B)	Back of u	raile	r or straight truck)	(V) Front of cargo area (T) Top (U) Undercarriage
Collision With Fixed Object  (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment (45) Breakaway pole or post (any diameter)  (50) Pole or post (≤ 10 cm in diameter) (51) Pole or post (> 10 cm but ≤ 30 cm in diameter) (52) Pole or post (> 30 cm in diameter) (53) Pole or post (diameter unknown)  (54) Concrete traffic barrier (55) Impact attenuator (56) Other traffic barrier (includes guardrail) (57) Passenger car, light truck, van, or other vehicle not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian (73) Cyclist or cycle (74) Other nonmotorist or conveyance (75) Vehicle occupant (76) Animal (77) Train (77) Train (78) Trailer, disconnected in transport (79) Object fell from vehicle in-transport (88) Other nonfixed object (specify): (89) Unknown nonfixed object (98) Other event (specify):	(01-30) — Vehicle Number  (57) Fence (58) Wall  Noncollision (31) Overturn — rollover (excludes end-over-end) (32) Rollover — end-over-end (33) Fire or explosion (34) Jackknife (35) Other intraunit damage (specify): (36) Noncollision injury (57) Fence (58) Wall (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb (64) Bridge (68) Other fixed object (sp			ence all uilding tch or culvert round re hydrant urb idge ther fixed object (speci	fy):			
(53) Pole or post (diameter unknown)  (54) Concrete traffic barrier (55) Impact attenuator (56) Other traffic barrier (includes guardrail) (specify):  (98) Other nonfixed object (specify):  (98) Other event (specify):	Collision (41) 1 (42) 1 (43) 5 (44) E (45) E Nonbreak (50) F	With Fixed () Free (< 10 co Free (> 10 co Fr	Object m in diameter) cm in diameter) bush ole or post (any diameter) or Post (≤ 10 cm in diameter) (> 10 cm but ≤ 30 cm in diameter)	er)	(70 (71 (72 (73 (74 (75 (76	) Pa no ) M ) Pa ) C ) O ) V ) A ) A	essenger car, light truck ot in-transport edium/heavy truck or be edestrian yclist or cycle ther nonmotorist or cor ehicle occupant nimal	ous not in-transport
(specify):	<ul><li>(53) Pole or post (diameter unknown)</li><li>(54) Concrete traffic barrier</li><li>(55) Impact attenuator</li></ul>				(88	) O	ther nonfixed object (sp nknown nonfixed objec	pecify):
	()	specify):						t

# **GENERAL VEHICLE FORM**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Ultimist, block	
1. Primary Sampling Unit Number	12. Speed Limit 0000) No statutory limit
2. Case Number - Stratum	Code posted or statutory speed limit in kmph (999) Unknown
3. Vehicle NumberO	• •
VEHICLE IDENTIFICATION	$\frac{35}{35} \text{ mph X 1.6093} = \frac{056}{35} \text{ kmph}$ 13. Relica Benerted Alcohol Programs For Driver
4. Vehicle Model Year  Code the last two digits of the model year (99) Unknown	13. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
5. Vehicle Make (specify): 20	(9) Unknown
Applicable codes are found in your NASS Data Collection, Coding and Editing Manual. (99) Unknown	14. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
6. Vehicle Model (specify): P/U	(97) AC test performed, results unknown (98) No driver present
Applicable codes are found in your NASS Data Collection, Coding and Editing Manual. (999) Unknown 1/2 To 1	(99) Unknown Source:
7. Body Type Note: Applicable codes may be found on the back of this page.	15. Police Reported Other Drug Presence For
8. Vehicle Identification Number	(7) Not reported (8) No driver present (9) Unknown
16060000000000000000000000000000000000	(9) Unknown  16. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug(s) not found in specimen (2) Drug(s) found in specimen, (specify):
9. Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus	<ul> <li>(3) Specimen test given, results unknown or not obtained</li> <li>(8) No driver present</li> <li>(9) Unknown if specimen test given</li> </ul>
(4) Military (5) Police	17. Driver's Zip Code
(6) Ambulance (7) Fire truck or car	(00001) Driver not a resident of U.S. or territories
(8) Other (specify):(9) Unknown	Code actual 5-digit zip code (99998) No driver present
OFFICIAL RECORDS	(99999) Unknown
10. Police Reported Vehicle Disposition (0) Not towed due to vehicle damage (1) Towed due to vehicle damage (9) Unknown	18. Driver's Race/Ethnic Origin (1) White (non-Hispanic) (2) Black (non-Hispanic) (3) White (Hispanic) (4) Black (Hispanic)
11. Police Reported Travel Speed Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown	(5) American Indian, Eskimo or Aleut (6) Asian or Pacific Islander (7) Other (specify):  (8) No driver present (9) Unknown
mph X 1.6093 = kmph	

### CODES FOR BODY TYPE

### CDS APPLICABLE VEHICLES

#### **Automobiles**

- (01) Convertible (excludes sun-roof, t-bar)
- (02)2-door sedan, hardtop, coupe
- (03)3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

#### Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

### Utility Vehicles (≤ 4,536 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Passport, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Hummer, Landcruiser, Rover, Scout, Yukon)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

### Van Based Light Trucks (≤ 4,536 kgs GVWR)

- Minivan (Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Vista, Aerostar, Windstar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Expo Wagon, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- Step van or walk-in van (≤ 4,536 kgs GVWR)
- Van based motorhome (≤ 4,536 kgs GVWR) (23)
- (24)Van based school bus (≤ 4,536 kgs GVWR)
- (25)Van based other bus (≤ 4,536 kgs GVWR)
- (28)Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

### Light Conventional Trucks (Pickup style cab.

#### ≤ 4,536 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota. Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35. K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500, T100)
- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

#### Other Light Trucks (≤ 4.536 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

### OTHER VEHICLES

#### Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

#### Medium/Heavy Trucks (> 4,536 kgs GVWR)

- (60) Step van (> 4,536 kgs GVWR)
- (61) Single unit straight truck (4,536 kgs < GVWR ≤ 8,845 kgs)
- Single unit straight truck  $(8,845 \text{ kgs} < \text{GVWR} \le 11,793 \text{ kgs})$
- Single unit straight truck (> 11,793 kgs GVWR)
- (64)Single unit straight truck, GVWR unknown (65)
- Medium/heavy truck based motorhome (67)
- Truck-tractor with no cargo trailer (68)
- Truck-tractor pulling one trailer
- (69)Truck-tractor pulling two or more trailers
- (70)Truck-tractor (unknown if pulling trailer)
- (78)Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

#### Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- Three-wheel motorcycle or moped (82)
- (88)Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

### Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

	PRECRASH ENVIRONMENTAL DATA	25	Roadway Surface Condition	4
10	Relation To Interchange Or Junction	20.	(1) Dry	
13.	(0) Non-interchange area and non-junction		(2) Wet	
	(1) Interchange area related		(3) Snow or slush	
			(4) Ice	
	Non-Interchange junctions		(5) Sand, dirt, or oil	
	(2) Intersection related		(8) Other (specify):(9) Unknown	
	(3) Driveway, alley access related		(O) CHANGOWII	
	(4) Other junction (specify)		Links One distant	2
	(5) Unknown type of junction	26.	Light Conditions (1) Daylight	_
			(2) Dark	
	(9) Unknown		(3) Dark, but lighted	
			(4) Dawn	
20	Traffigurey Flow		(5) Dusk	
20.	Trafficway Flow (0) Not physically divided (two way traffic)		(9) Unknown	
	(1) Divided trafficway-median strip without			
	positive barrier	27	Atmospheric Conditions	$\bigcirc$
	(2) Divided trafficway-median strip with positive		(0) No adverse atmospheric-related driving	
	barrier		conditions	ı
	(3) One way traffic		(1) Rain	
	(9) Unknown		(2) Sleet/hail	
_	,		(3) Snow	
21.	Number Of Travel Lanes		(4) Fog (5) Rain and fog	
	(1) One		(6) Sleet and fog	
	(2) Two (3) Three		(7) Other (e.g., smog, smoke, blowing sand or	r
	(4) Four		dust, etc.) (specify):	
	(5) Five			
	(6) Six		(9) Unknown	
	(7) Seven or more	28	Traffic Control Device	0
	(9) Unknown	20.	(0) No traffic control(s)	<u> </u>
	· •		(1) Traffic control signal (not RR crossing)	
22.	Roadway Alignment			
	(1) Straight		Regulatory	
	(2) Curve right (3) Curve left		(2) Stop sign (3) Yield sign	
	(9) Unknown		(4) School zone sign	
		İ	(5) Other regulatory sign (specify):	
23	Roadway Profile 2		· · · · · · · · · · · · · · · · · · ·	
20.	(1) Level		(6) Warning sign (not RR crossing)	
	(2) Uphill grade (>2%)		(7) Unknown sign	
	(3) Hill crest		(8) Miscellaneous/other controls including RR	
	(4) Downhill grade (>2%)	1	controls (specify):	
	(5) Sag		(9) Unknown	
	(9) Unknown			
_	9			_
24.	Roadway Surface Type	29.	Traffic Control Device Functioning	0
	(1) Concrete		(0) No traffic control device	
	(2) Bituminous (asphalt) (3) Brick or block		(1) Traffic control device not functioning (specify):	
	(4) Slag, gravel, or stone		Japacii y).	
	(5) Dirt		(2) Traffic control device functioning properly	
	(8) Other (specify):		(9) Unknown	
	(9) Unknown			

	PR	ECRASH DRIVER RELATED DATA		VEHICLE TRAVELLING
		r's Distraction/Inattention To Driving 99		Over the lane line on left side of travel lane
		r To Recognition Of Critical Event)	(11)	Over the lane line on right side of travel lane
		No driver present Attentive or not distracted	(12)	Off the edge of the road on the left side Off the edge of the road on the right side
		Looked but did not see		End departure
	(,	Distractions		Turning left at intersection
	(03)	By other occupant(s), (specify):	(16)	Turning right at intersection
•				Crossing over (passing through) intersection
	(04)	By moving object in vehicle (specify):		This vehicle decelerating
	<b>(05)</b>	180 that the second consider	(19)	Unknown travel direction
	(05)	While talking or listening to cellular phone (specify location and type of phone):	ОТН	IER MOTOR VEHICLE IN LANE
				Other vehicle stopped
	(06)	While dialing cellular phone (specify location and	(51)	Traveling in same direction with lower steady
	` '	type of phone):		speed
	(07)	VA State and it was the professional and a company of	(52)	Traveling in same direction while decelerating
	(07)	While adjusting climate controls While adjusting radio, cassette, CD (specify):		Traveling in same direction with higher speed
	(00)	write adjusting radio, cassette, OD (specify).		Traveling in opposite direction
	(09)	While using other device/controls integral to vehicle		In crossover Backing
		(specify):	(50) (50)	Unknown travel direction of other motor vehicle in
	(10)	While using or reaching for device/object brought	(55)	lane
	/4.4\	into vehicle (specify):		
	(11)	Sleepy or fell asleep Distracted by outside person, object, or event	OTH	IER MOTOR VEHICLE ENCROACHING INTO
	(12)	(specify):	LAN	
	(13)	Eating or drinking	(60)	From adjacent lane (same direction)—over left lane
	(14)	Smoking related	(04)	line
	(97)	Distracted/inattentive, details unknown	(10)	From adjacent lane (same direction)—over right lane line
	(98)	Other, distraction (specify):	(62)	From opposite direction—over left lane line
	(99)	Unknown		From opposite direction—over right lane line
21		Event Movement (Prior to		From parking lane
31.		ognition of Critical Event)		From crossing street, turning into same direction
		No driver present		From crossing street, across path
	(01)	Going straight		From crossing street, turning into opposite direction
	(02)	Decelerating in traffic lane		From crossing street, intended path not known From driveway, turning into same direction
	(03)	Accelerating in traffic lane		From driveway, turning into same direction  From driveway, across path
		Starting in traffic lane Stopped in traffic lane		From driveway, turning into opposite direction
		Passing or overtaking another vehicle	(73)	From driveway, intended path not known
	(07)	Disabled or parked in travel lane	(74)	From entrance to limited access highway
	(80)	Leaving a parking position	(78)	Encroachment by other vehicle—details unknown
		Entering a parking position		
		Turning right Turning left		DESTRIAN, PEDALCYCLIST, OR OTHER
	(12)	Making a U-turn		NMOTORIST Pedestrian in roadway
	(13)	Backing up (other than for parking position)		Pedestrian approaching roadway
		Negotiating a curve	(82)	Pedestrian—unknown location
		Changing lanes		Pedalcyclist or other nonmotorist in roadway
		Merging Successful avoidance maneuver to a previous		(specify):
	(17)	critical event	(84)	Pedalcyclist or other nonmotorist approaching
	(97)	Other (specify):	(05)	roadway, (specify):
		Unknown	(85)	Pedalcyclist or other nonmotorist—unknown location (specify):
32.	Criti	cal Precrash Event		location (specify)
	THI	S VEHICLE LOSS OF CONTROL DUE TO: 17	OB.	JECT OR ANIMAL
	(01)	Blow out or flat tire	(87)	Animal in roadway
	(02)	Stalled engine		Animal approaching roadway
	(03)	Disabling vehicle failure (e.g., wheel fell off)		Animal—unknown location
	(04)	(specify): Non-disabling vehicle problem (e.g., hood flew up)		Object in roadway
	` '	(specify):		Object approaching roadway Object—unknown location
	(05)	Poor road conditions (puddle, pot hole ice, etc.)		Object—unknown location Other critical precrash event (specify):
		(specify):	(30)	Outer officer preciasir event (specify).
	(06)	Traveling too fast for conditions	(99)	Unknown
	(08)	Other cause of control loss (specify):	` '	
	(09)	Unknown cause of control loss		

	a a	11
33.	Attempted Avoidance Maneuver	35. Pre-Impact Location
	(00) No driver present	(0) No driver present
	(O1) No avoidance maneuver	(1) Stayed in original travel lane
	(02) Braking (no lockup)	(2) Stayed on roadway but left original travel
	(03) Braking (lockup)	lane
	(04) Braking (lockup unknown)	(3) Stayed on roadway, not known if left original
	(05) Releasing brakes	travel lane
	(06) Steering left	(4) Departed roadway
	(07) Steering right	(5) Remained off roadway
	(08) Braking and steering left	(6) Returned to roadway
	(09) Braking and steering right	(7) Entered roadway
	(10) Accelerating	(9) Unknown
	(11) Accelerating and steering left	
	(12) Accelerating and steering right	
	(98) Other action (specify):	36. Accident Type
		(Note: Applicable codes on back of this
	(99) Unknown	page)
	av	(00) No impact
34.	Pre-Impact Stability	Code the number of the diagram that best
	(O) No driver present	describes the accident circumstance
	(1) Tracking	(98) Other accident type (specify):
	(2) Skidding longitudinally—rotation less than 30	
	degrees	(99) Unknown
	(3) Skidding laterally—clockwise rotation	
	(4) Skidding laterally—counterclockwise rotation	·
	(7) Other vehicle loss-of-control (specify):	
	(9) Precrash stability unknown	

### STOP HERE IF GV07 DOES NOT EQUAL 01 - 49

Cate- gory	Configur- ation	ACCIDENT TYPES (	Includes Intent)		
	A. Right Roadside Departure	DRIVE OFF CONTROL/ ROAD TRACTION LOSS		04 SPECIFICS OTHER	06 SPECIFICS UNKNOWN
Single Driver	B Left Roadside Departure	DRIVE OFF CONTROL/ ROAD TRACTION LOSS		09 SPECIFICS OTHER	10 SPECIFICS UNKNOWN
	C Forward Impact	PARKED VEH. STA. OBJECT PEDESTRIANIMAL		15 SPECIFICS	16 SPECIFICS
way	I) Rear-End	20 22 24 26 21 25 25 STOPPED SLOWER	28 30 ————————————————————————————————————	(EACH • 32)	(EACH • 33)
Same Trafficway Same Direction	E Forward Impact	21, 22, 23  26, 26, 27  34  35  CONTROL/ TRACTION LOSS  TRACTION LOSS  26, 26, 27  38  37  AVOID TRACTION LOSS  WITH V	39 40 1 AVOID COLLISION	41	42) (EACH • 43)  SPECIFICS UNKNOWN
=	F Sideswipe Angle	44 45 45 47	(EACH · 48) SPECIFICS OTHER	(EACH SPECIFIC	
ay Tuon	G Head-On	50 51 (EACH • 52) SPECIFICS OTHER	(EACH • 53)  SPECIFICS UNKNOWN		
Same Trafficway Opposite Direction	H Forward Impact	54 55 56 57 58  CONTROL/ TRACTION LOSS TRACTION LOSS WITH	COLLISION AVOID COLLISIC WITH OBJECT	61	52)(EACH • 63) SPECIFICS UNKNOWN
<b>S</b>	l Sideswipe Angle	65 (EACH • 66)  SPECIFICS OTHER	(EACH • 67) SPECIFICS UNKNOWN		
Trafficway Turning	J. Turn Across Path	68 71 70 INITIAL OPPOSITE INITIAL SAME DIRECTIONS	73————————————————————————————————————	SPECIFICS OTHER	SPECIFICS UNKNOWN
IV. Change Vehicle	K. Turn Into Path	77 79 80 TURN INTO SAME DIRECTION TURN II	81 82 NTO OPPOSITE DIRECTIONS	(EACH • 8/	SPECIFICS
V Intersecting Paths (Vehicle Damage)	L. Straight Paths	87 88 89	(EACH • 90)  SPECIFICS OTHER	(EACH • 91	1
VI. Miscel- laneous	M. Backing Etc.	92 93 OTHER VEH. OR OBJECT BACKING VEH.	98 Öther Acciden 99 Unknown Acci 00 No Impact	t Type ident Type	

	OCCUPANT RELATED	44. Vehicle Cargo Weight O, O 7 0
37.	Driver Presence in Vehicle (0) Driver not present (1) Driver present (9) Unknown	Code weight to nearest  10 kilograms.  (000) Less than 5 kilograms  (454) 4,536 kilograms or more  (999) Unknown  750 lbs X .4536 =,068 kgs
38.	Number of Occupants This Vehicle (00-96) Code actual number of occupants for this vehicle	Source:
	(97) 97 or more (99) Unknown	ROLLOVER DATA  45. Rollover
39.	Number of Occupant Forms Submitted	(00) No rollover (no overturning)  Rollover (primarily about the longitudinal axis)
40.	Is this an AOPS Vehicle? (0) No (includes unknown) (1) Yes - researcher determined	(01-16) Code the number of quarter turns (17) Rollover, 17 or more quarter turns (specify): (98) Rolloverend-over-end (i.e., primarily about the lateral axis)
	<ul> <li>(2) VIN determined air bag system</li> <li>(3) VIN determined automatic (passive) belts</li> <li>(4) VIN determined air bag and automatic (passive) belts</li> </ul>	(99) Rollover (overturn), details unknown  46. Rollover Initiation Type (00) No rollover
41.	Air Bag(s) Deployment, First Seat Frontal (0) Not equipped or not available (1) No air bags deployed  Single Air Bag Vehicle	(01) Trip-over (02) Flip-over (03) Turn-over (04) Climb-over (05) Fall-over
	<ul><li>(2) Driver air bag deployed</li><li>(3) Driver air bag, unknown if deployed</li></ul>	(06) Bounce-over (07) Collision with another vehicle (08) Other rollover initiation type specify):
	Multiple Air Bag Vehicle (4) Driver side only deployed (5) Passenger side only deployed (6) Driver and passenger side deployed	(98) Rolloverend-over-end (99) Unknown rollover initiation type
	<ul> <li>(7) Driver and passenger side unknown if deployed</li> <li>(8) Air bag(s) deployed, details unknown</li> <li>(9) Unknown</li> </ul>	47. Location of Rollover Initiation (0) No rollover (1) On roadway (2) On shoulder—paved
42.	Air Bag(s) Deployment, Other Than First Seat Frontal (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of	(3) On shoulder—unpaved (4) On roadside or divided trafficway median (8) Rolloverend-over-end (9) Unknown
	impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown	48. Rollover Initiation Object Contacted (Note: Applicable codes on back of page)
	(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)	49. Location on Vehicle Where Initial Principal  Tripping Force Is Applied  (0) No rollover
	<ul><li>(5) Unknown if deployed</li><li>(7) Nondeployed</li><li>(9) Unknown</li></ul>	(1) Wheels/tires (2) Side plane (3) End plane
	Specify type of "other" air bag present:	(4) Undercarriage (5) Other location on vehicle (specify):
		(6) Non-contact rollover forces (specify):
	VEHICLE WEIGHT ITEMS	(8) Rolloverend-over-end (9) Unknown
43	Vehicle Curb Weight Code weight to nearest 10 kilograms.	50. Direction of Initial Roll (0) No rollover (1) Roll right - primarily about the longitudinal axis
	(045) Less than 454 kilograms (612) 6,124 kilograms or more (999) Unknown 3,8_7/_ lbs X .4536 =/,756_ kgs	(2) Roll left - primarily about the longitudinal axis (8) Rolloverend-over-end (9) Unknown roll direction
	Source	,=, =:

# CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover	(57) Fence
(01-30) — Vehicle Number	(58) Wall
	(59) Building
Noncollision	(60) Ditch or culvert
(31) Turn-over – fall-over	(61) Ground
(32) No rollover impact initiation (end-over-end)	(62) Fire hydrant
(34) Jackknife	(63) Curb
(0.1) 000	(64) Bridge
Collision With Fixed Object	(68) Other fixed object (specify):
(41) Tree (≤ 10 cm in diameter)	(oo) other had object (specify).
(42) Tree (> 10 cm in diameter)	(69) Unknown fixed object
(43) Shrubbery or bush	(03) Olikilowii lixed object
	Callinian with Nantiwad Object
(44) Embankment	Collision with Nonfixed Object
(AE) Decales and London Brown	(70) Passenger car, light truck, van, or other
(45) Breakaway pole or post (any diameter)	vehicle not in-transport
	(71) Medium/heavy truck or bus not in-transport
Nonbreakaway Pole or Post	(76) Animal
(50) Pole or post (≤ 10 cm in diameter)	(77) Train
(51) Pole or post (> 10 cm but ≤ 30 cm in	(78) Trailer, disconnected in transport
diameter)	(79) Object fell from vehicle in-transport
(52) Pole or post (> 30 cm in diameter)	(88) Other nonfixed object (specify):
(53) Pole or post (diameter unknown)	tes, same manual sujos (oposinj).
(,,,,,,,,,,	(89) Unknown nonfixed object
(54) Concrete traffic barrier	(OO) OTHEROWN HOTHIXOG OBJOOL
(55) Impact attenuator	(98) Other event (specify):
(56) Other traffic barrier (includes guardrail)	(30) Other event (specify).
(specify):	(99) Unknown event or chiest
(specify).	(99) Unknown event or object

OVERRIDE/UNDERRIDE (THIS VEHICLE)	ACCIDENT RECONSTRUCTION PROGRAMS HIGHEST DELTA V					
51. Front Override/Underride (this Vehicle)	58. Basis for Total (Resultant) Delta V					
<ul> <li>52. Rear Override/Underride (this Vehicle)</li> <li>(0) No override/underride, or not an end-to-end impact between two CDS applicable vehicles,</li> </ul>	(highest)					
and no medium/heavy truck or bus underride	(00) No vehicle inspection					
Override (see specific CDC) [Between 2 CDS applicable vehicles (Bodytype, GV07 = 1-49)] (1) 1st CDC (2) 2nd CDC (3) Other not automated CDC (specify):	Delta V Calculated (01) Reconstruction program-damage only routine (02) Reconstruction program-damage and trajectory routine (03) Missing vehicle algorithm					
Underride (see specific CDC)  [Between 2 CDS applicable vehicles (Bodytype, GV07 = 1-49)]  (4) 1st CDC  (5) 2nd CDC  (6) Other not automated CDC (specify):	Delta V Not Calculated  (O4) At least one vehicle (which may be this vehicle) is beyond the scope of an acceptable reconstruction program, regardless of collision conditions.					
<ul><li>(7) Medium/heavy truck or bus override (of any configuration)</li><li>(9) Unknown</li></ul>	All vehicles within scope (CDC applicable) of reconstuction program but one of the collision conditions is beyond the scope of the reconstruction program or other acceptable					
HEADING ANGLE AT IMPACT FOR HIGHEST DELTA V	reconstruction technique, regardless of adequacy of damage data.					
Values: (000)-(359) Code actual value (996) Non-horizontal impact (997) Noncollision (998) Impact with object (999) Unknown  53. Heading Angle For This Vehicle	<ul> <li>(05) Rollover</li> <li>(06) Other non-horizontal forces</li> <li>(07) Sideswipe type damage</li> <li>(08) Severe override</li> <li>(09) Yielding object</li> <li>(10) Overlapping damage</li> </ul>					
54. Heading Angle For Other Vehicle 998	(11) All vehicle and collision conditions are within scope of one of the acceptable					
RECONSTRUCTION DATA	reconstruction programs, but there is insufficient data available, (specify):					
55.Towed Trailing Unit (0) No towed unit (1) Yes—towed trailing unit (9) Unknown	insufficient data available, (specify):					
56. Documentation of Trajectory Data for This Vehicle (0) No (1) Yes	(98) Other, (specify):					
57. Post Collision Condition of Tree or Pole (For Highest Delta V) (0) Not collision (for highest delta V) with tree or pole (1) Not damaged (2) Cracked/sheared (3) Tilted <45 degrees (4) Tilted ≥45 degrees (5) Uprooted tree (6) Separated pole from base (7) Pole replaced (8) Other (specify):						
(9) Hokowa						

COMPUTER GENERATED CRASH SEVERITY								
Highest 59. Total Delta V 999	63. Impact Speed  Highest  9 9 9							
Nearest kmph (highest)	Nearest kmph (highest)							
Nearest kmph (secondary)	Nearest kmph (secondary)							
(NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (999) Unknown Highest	(NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above (998) Trajectory algorithm not run (999) Unknown							
60. Longitudinal Component of + 9 9 9	DELTA V CONFIDENCE LEVEL							
Nearest kmph (highest)	64. Confidence In Reconstruction Program Results (For Highest Delta V)							
Nearest kmph (secondary)  (NOTE:000 means greater than -0.5 kmph and less than +0.5 kmph) (±160) ±159.5 kmph and above (999) Unknown	<ul> <li>(0) No reconstruction</li> <li>(1) Collision fits model — results appear reasonable</li> <li>(2) Collision fits model — results appear high</li> <li>(3) Collision fits model — results appear low</li> <li>(4) Borderline reconstruction — results appear reasonable</li> </ul>							
Highest 61. Lateral Component of Delta V + 9 9 9	OTHER SPEED ESTIMATE							
Nearest kmph (highest)	Highest 65. Barrier Equivalent Speed							
Nearest kmph (highest)  Nearest kmph (secondary)  (NOTE:000 means greater than -0.5 kmph and less than +0.5 kmph)  (±160) ±159.5 kmph and above (999) Unknown  Highest  62. Energy Absorption Nearest 100 joules (highest)  Nearest 100 joules (secondary)  (NOTE: 0000 means less than 50 joules) (9997) 999,650 joules or more (9999) Unknown	Nearest kmph (highest)  Nearest kmph (secondary)  (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above							

#### **ESTIMATED DELTA V INSPECTION TYPE** 8 66. Estimated Highest Delta V (Researcher 67. Type of Vehicle Inspection Determined) (0) No inspection (0) Reconstruction Delta V coded (1) Vehicle fully repaired-no damage evident (2) Partial inspection (specify): Estimated Delta V (1) Less than 10 kmph (3) Complete inspection (2) ≥ 10 kmph but < 25 kmph (3) $\geq$ 25 kmph but < 40 kmph (4) $\geq$ 40 kmph but < 55 kmph **DELTA V EVENT NUMBER** $(5) \geq 55 \text{ kmph}$ Other estimates of damage severity 68. Delta V Event Number (6) Minor Code the accident event sequence (7) Moderate number that resulted in the Delta V that (8) Severe has been coded above for this vehicle (99) Unknown (9) Unknown

\*\*\* IF THE CDS APPLICABLE VEHICLE WAS NOT INSPECTED (I.E., GV67 = 0), \*\*\*

DO NOT COMPLETE THE EXTERIOR AND INTERIOR VEHICLE FORMS

\*\*\* IF GV07 DOES NOT EQUAL 01-49, DO NOT COMPLETE \*\*\*

THE EXTERIOR VEHICLE, INTERIOR VEHICLE,


OCCUPANT ASSESSMENT, AND OCCUPANT INJURY FORMS.

2	
U.S. Department of Transportation	1
National Highway Traffic Safety	

Administration	ay manic ballety	<u>.</u> L/	TENION	VEN	CLE I	UNIVI		CRAS	HWORTHIP	VESS DAT		
1. Primary Sampling Unit Number 8 1 3. Vehicle Number 01												
2. Case Number - Stratum OI 4 A												
			VEHICLE	IDENT	IFICAT	ION						
vin <u>9</u>	VIN 9 NOT UISABLE 9 Model Year 95											
Vehicle Ma	ake (specify):	CHE	)		Vehicle	e Model	(specify)	:_P	/u_			
			L	OCATO	DR							
Locate the	e end of the damag ran undamaged axi	je with resp le for side in	ect to the v	vehicle's	damag	ed cent	er point	or bum	per cor	ner for e	end	
Specific Impa		of Direct Dama	-			n of Field			Location o	of Max Cr	ush	]
	STARTS A	7 LF B	umper t	BUNG		bruse	to		C	-1		
	670075	ADDRAN	(				PNE	2	- · · · · · · · · · · · · · · · · · · ·			]
Í	STARTS								C	<u> </u>		
			SH PROF									ļ
NOTES: I	dentify the plane at ill, etc.) and label a	which the dijustments	C-measuren (e.g., free s	nents ar space).	e taken	(e.g., a	t bumpe	r, abov	e bumpe	r, at sill	, above	
١ ,	Measure C1 to C6 f	rom driver to	o passengei	r side in	front or	rear im	pacts a	nd rear	to front	in side		
ir	mpacts. 5 TRING	6 4/WE 1	5 527	553	5 cm	F0121	usro	748	BAC	K Pl	ANE.	,
F	ree space value is	defined as t	he distance	betwee	n the ba	aseline a	and the	original	body co	ntour ta	ken at	
t s	he individual C loca ide taper, etc. Rec	itions. This ord the valu	may include le for each	e the fol C-measi	llowing: Jrement	bumper and ma	r lead, b Iximum	umper 1 crush.	taper, sid	de protr	usion,	
	Jse as many lines/c											l
Specific	l l l l l l l l l l l l l l l l l l l		Damage	describ	e each	Jamage	prome.	ł				1
Impact Number	Plane of Impact C-Measurements	Width (CDC)	Max Crush	Field L	C,	C <sub>2</sub>	C <sub>3</sub>	C₄	C <sub>5</sub>	C <sub>6</sub>	±D	
3	FRONT	<i>4</i> 3	C-1	143	88	39	19	//	5	5	-60.	5
ł į	FREE SPACE	ļ		11	20	10	6	6	10	ZO		
3	FINAL	43	68	143	68	29	13	5	0	Ø	-60.	5
	NOTE;			MES	A7	HOO	d D	UE.	10			
	OV	ERISPPI	NG D.	mag	٤,							
,		' '										
142	FRONT BUMPER	54	C-	143		SAM	E AS	ABOV	٤		-65,	0
<b>t</b>											- W-L	
	DUE TO	OUER	LADDIN	9	DA	MAG	on	ly	ONE	587	~	
	OF ,	nesuz	EMENT	5 4	FRE	794	KEN	1				

# ORIGINAL SPECIFICATIONS WORK SHEET

Wheelbase		x 2.54	=	334 cm
Overall Length	$\underline{213.1}$ inches	x 2.54	=	<u>54</u> L cm
Maximum Width	7 <u>6.8</u> inches	x 2.54	=	_195_cm
Curb Weight	3,87/ pounds	x .4536	=	<u>1,756</u> kg
Average Track	inches	x 2.54	=	cm
Front Overhang	3 <u>5</u> .4 inches	x 2.54	=	<u>9</u> 0_cm
Rear Overhang	inches	x 2.54	=	(F186)/17 cm
Undeformed End Width	inches	x 2.54	=	_/84_cm
Engine Size: cyl./displ.	V~& cc	x .001	=	<u>4.3</u> L
	CID	x .0164	=	. L



NOTES: Sketch new perimeter and cross hatch direct damage and single hatch induced damage on all views. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.). If pulling trailer, sketch type of trailer and damage received on the back of this page.

Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

				WORKSHI							
(04.00)			CODES FOR	OBJECT CO							
(01-30) — Vehicle Number						Fence					
	AT THE P.					Wall			. 2		
Noncoll				· (5	59)	Building			1.33		
	Overturn - ro		s end-over-ei	nd) (6	(08	Ditch or	culvert	1	<u>'</u> 1. '		
(32) Rollover—end-over-end			(6	31)	Ground		Ú	Ø .			
(33) Fire or explosion			(6	32)	Fire hyd	rant					
(34)	Jackknife					Curb					
(35)	Other intraunit	t damage (spec	ify):			Bridge					
						•	ked object (	snecify):			
(36)	Noncollision in	niurv		,,,	,	0 (1101 112	nou object (	specify).			
	Other noncolli			16	:01	Linknow	n fixed obje		·····		
(00)		olott (opcomy).		(0	,5,	OHKHOW	ii lixed obje	;Cl			
(39)	Noncollision -	details unkno	wn	Colli	sio	n with No	onfixed Obje	ect			
				(7	'O)	Passeng	er car, light	truck, van,	or other		
	n With Fixed Ol					vehicle r	not in-transp	oort			
(41)	Tree (≤ 10 cm	in diameter)		(7	1)				in-transport		
(42)	Tree (> 10 cm	n in diameter)				Pedestri		( O) DGO 1101	iii transport		
	Shrubbery or b					Cyclist o					
	Embankment	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		17	٠/١ الار	Other pe	n Cycle				
				(7	4)	Other no	minotorist (	or conveyand	ce		
(45)	Breakaway pol	le or post (any	diameter)				occupant				
Nonbro	okowov Bolo oz	Doot				Animal					
MOUDIE	Nonbreakaway Pole or Post (50) Pole or post (≤ 10 cm in diameter)					Train					
(50)	Pole or post (≤	10 cm in diam	eter)	(7	(8)	Trailer, disconnected in transport					
(51)	Pole or post (>	> 10 cm but ≤	30 cm in	(7	9)	Object fell from vehicle in-transport					
	diameter)			(8	8)	Other nonfixed object (specify):					
	Pole or post (>						•	•			
(53)	Pole or post (d	liameter unknov	vn)	(8	9)	Unknown nonfixed object					
(54)	Concrete traffi	c harrier		(0	٥,	Other au					
	Impact attenua		•	(9	0)	Other ev	ent (specify	/):			
	Other traffic ba		guardrail)	(9	9)	Unknow	n event or o	bject			
	(specify):							•			
		DEFORMA	TION OF 400								
		DEFORMA	HON CLASS	SIFICATION E	3Y E	EVENT NI (4)	UMBER (5)				
Accident		(1) (2)			5	Specific	Specific	(6)			
Event		Direction	Incremental	(3)		ngitudinal	Vertical or	Type of	(7)		
Sequence	Object	of Force	Value of	Deformation		Lateral	Lateral	Damage	Deformation		
Number	Contacted	(degrees)	Shift	Location		ocation	Location	Distribution	Extent		
03	1/2	100	(1)	F							
	- 74	<del></del>	00			<u>_</u>	A	$\omega$	07		
		1Z,00		<del></del>							
01	42	100	00	F		4	E	W	03		
02	42	12:00	00	<u></u>		<u>L</u>			- 2 - 7		
		12.00				<u></u>		$\underline{\omega}$	<u>'</u>		
04				R		6	_	E	01		
				13					01		
	-			<del></del>							
									· ·		
				•							

	COLLISION	DEFORMA	HUN CLAS	SIFICATION		
HIGHEST DELTA "V"						
Accident Event Sequence Number OI  493 5.42	(1) (2) Direction of Force 6. 1 Z	(3) Deformation Location 7	(4) Longitudinal or Lateral Location  8	(5) Vertical or Lateral Location  9.  A	Type of Damage Distribution	(7) Deformation Extent  11.
Second Highest Delta "  0 2  12.	14.12	15. F	16.49	17.A 9	18. <u>u</u>	19 <u><b>09</b></u> 99
The crush p	rofile for the dam	nage described	I in the CDC(s)	above should l	be document	ed
	propriate space b	oelow. (ALL N	MEASUREMENT	S ARE IN CEN	IIMETERS.)	
HIGHEST DELTA "V"						
20. 21. C <sub>1</sub>		C <sub>3</sub>		C <sub>5</sub>	C <sub>6</sub>	22. 
184 068	029	013	005 0	00 0	00 6	<u>061</u>
Second Highest Delta "V"						
23. 24. L C <sub>1</sub>			C <sub>4</sub>	C <sub>5</sub>	C <sub>6</sub>	25. 
					=	· 
26. Undeformed End W (Coded when highe impact is an end place of the Code to the (250) 250 centime (998) No highest (999) Unknown	st severity ane impact.) nearest centimeto eters or more		(650) (999) ————	al Wheelbase Code to the note contimeter 650 centimeter Unknown inches X	ers or more	3 <u>3</u> <u>4</u> centimeters
		<u>043</u> er	(185)	Code to the nearest centine 185 centimeter Unknown	neter	999

			FUEL SYSTEM
30.	Are CDCs Documented but Not Coded on The	12	35. Location of Fuel Tank-1 Filler Cap  36. Location of Fuel Tank-2 Filler Cap
	Automated File? (0) No (1) Yes		(0) No fuel tank (1) On back plane (2) Aft of center of the rear wheels (rear axle)
31.	Researcher's Assessment of Vehicle Disposition (0) Not towed due to vehicle damage (1) Towed due to vehicle damage (9) Unknown	1	on left side plane (3) Aft of center of the rear wheels (rear axle) on right side plane (4) Forward of center of the rear wheels (rear axle) on left side plane (5) Forward of center of the rear wheels (rear axle) on right side plane
32.	Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? (0) No post manufacturer modifications (1) Yes - post manufacturer modifications (specify):	0	(6) Over the center of the rear wheels (rear axle) on left side plane (7) Over the center of the rear wheels (rear axle) on right side plane (8) Other (specify): (9) Unknown  37. Type of Fuel Tank-1
	(Include photograph of CERTIFICATION PLACARD in case report)  (9) Unknown if vehicle is modified		38. Type of Fuel Tank-2 (0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic (9) Unknown
	FIRE OCCURRENCE		39. Location of Fuel Tank-1
33.	Fire Occurrence (O) No fire	0	40. Location of Fuel Tank-2  (0) No fuel tank  (1) Aft of center of the rear wheels (rear axle) centered
	Yes, fire occurred (1) Minor (2) Major (9) Unknown		<ul> <li>(2) Aft of center of the rear wheels (rear axle) left side</li> <li>(3) Aft of center of the rear wheels (rear axle) right side</li> <li>(4) Forward of center of the rear wheels (rear axle) centered</li> </ul>
34	<ul> <li>Origin of Fire</li> <li>(0) No fire</li> <li>(1) Vehicle exterior (front, side, back, top)</li> <li>(2) Exhaust system</li> <li>(3) Fuel tank (and other fuel retention system parts)</li> <li>(4) Engine compartment</li> <li>(5) Cargo/trunk compartment</li> <li>(6) Instrument panel</li> <li>(7) Passenger compartment area</li> <li>(8) Other location (specify):</li> <li>(9) Unknown</li> </ul>	<u>O</u>	(5) Forward of center of the rear wheels (rear axle) left side (6) Forward of center of the rear wheels (rear axle) right side (7) Over center of the rear wheels (rear axle) (8) Other (specify): (9) Unknown  41. Damage to Fuel Tank-1  42. Damage to Fuel Tank-2 (0) No fuel tank (1) No damage to fuel tank (2) Deformed, no seam failure (3) Deformed, with a seam failure (4) Punctured (5) Lacerated (ripped) (6) Abraded (scraped) (7) Filler neck separation from the fuel tank (8) Other damage (specify): (9) Unknown

		· · · · · · · · · · · · · · · · · · ·
43.	Leakage Location of Fuel System-1	47. Is This Vehicle Equipped With More Than Two Fuel Tanks?
44.	Leakage Location of Fuel System-2  (0) No fuel tank	(O) No (one or two tanks only)
	(1) No fuel leakage	Yes - More Than Two Tanks
		(1) Yes no damage to any tank or filler
	Primary Area Of Leakage	cap and no fuel system leakage
	(2) Tank	(2) Yes no damage to any tank or filler
	(3) Filler neck	cap but there is fuel system leakage (specify leakage location):
	(4) Cap (5) Lines/pump/filter	(specify leakage location).
	(6) Vent/emission recovery	(3) Yes damage to an additional tank or
	(8) Other (specify):	filler cap and there is fuel system leakage
	(9) Unknown	(specify the following):
		Type of tank
	0 /	Tank location
45.	Fuel Type-1	Filler cap location
46	Final Time 2	Tank damage
40.	Fuel Type-2	Location of leakage Type of fuel
	Single Fuel Type	(9) Unknown if more than two tanks
	(00) No fuel tank	
	(01) Gasoline	
	(O2) Diesel	
	(03) CNG (Compressed Natural Gas)	COMMENTS
	(04) LPG (Liquid Petroleum Gas) also	FUEL FILLER & CAP
	known as Propane (05) LNG (Liquid Natural Gas)	
	(06) Methanol (M100 or M85)	ARE and Amaged AS 15
	(07) Ethanol (E100 or E85)	•
	(08) Other (Hydrogen or others) (specify):	THE FUEL TANK.
		THE SIDE PANK OF THE
	Electric Powered or Electric/Solar	THE SIDE PINCE OF THE
	Powered Vehicles	BED WAS RIPPED AWAY.
	(10) Lead Acid Battery	
	(11) Nickel-Iron Battery	PURING THIS ACCIDENT
	(12) Nickel-Cadmium Battery	,
	(13) Sodium Metal Chloride Battery	
	(14) Sodium Sulfur Battery	
	(18) Other (Specify):	
	(98) Other Hybrid (specify):	
	(99) Unknown fuel type	
	*** STOP: IF THE CDS APPLICAB	LE VEHICLE WAS NOT TOWED ***

\*\*\* STOP: IF THE CDS APPLICABLE VEHICLE WAS NOT TOWED \*\*\*


(GV10=0)

DO NOT COMPLETE THE INTERIOR VEHICLE FORM.

## **INTERIOR VEHICLE FORM**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

omiastration	GLAZING
1. Primary Sampling Unit Number	Type of Window/Windshield Glazing
2. Case Number - Stratum	15. WS / 16. LF 2 17. RF 2 18. LR 0 19. RR 0
3. Vehicle Number	20. BL 2 21. Roof 0 22. Other 0
INTEGRITY	20. BL 21. Root 0 22. Other 0
4. Passenger Compartment Integrity (00) No integrity loss  Yes, Integrity Was Lost Through (01) Windshield (02) Door (side) (03) Door/hatch (back door) (04) Roof (05) Roof glass (06) Side window (07) Rear window (backlight) (08) Roof and roof glass (09) Windshield and door (side) (10) Windshield and roof (11) Side and rear window (side window and backlight) (12) Windshield and side window (13) Door and side window (98) Other combination of above (specify):	(0) No glazing (1) AS-1 — Laminated (2) AS-2 — Tempered (3) AS-3 — Tempered-tinted (original) (4) AS-2 — Tempered-with after market tint (5) AS-3 — Tempered-tinted (with additional after market tint) (6) AS-14 — Glass/Plastic (7) Glazing removed prior to accident (8) Other (specify): (9) Unknown  Window Precrash Glazing Status  23. WS
	<ul><li>(4) Fully opened</li><li>(7) Glazing removed prior to accident</li><li>(9) Unknown</li></ul>
Door, Tailgate or Hatch Opening	Glazing Damage from Impact Forces
5. LF <u>2</u> 6. RF <u>1</u> 7. LR <u>0</u> 8. RR <u>0</u> 9. TG/H <u>0</u>	31. WS <u>3</u> 32. LF <u>6</u> 33. RF <u>/</u> 34. LR <u>0</u> 35. RR <u>0</u>
(0) No door/gate/hatch (1) Door/gate/hatch remained closed and operational (2) Door/gate/hatch came open during collision (3) Door/gate/hatch jammed shut (8) Other (specify):  Unknown	<ul> <li>36. BL  37. Roof  38. Other </li> <li>(0) No glazing</li> <li>(1) No glazing damage from impact forces</li> <li>(2) Glazing in place and cracked from impact forces</li> <li>(3) Glazing in place and holed from impact forces</li> <li>(4) Glazing out-of-place (cracked or not) and not holed from impact forces</li> <li>(5) Glazing out-of-place and holed from impact forces</li> <li>(6) Glazing disintegrated from impact forces</li> </ul>
Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code Ø	<ul><li>(7) Glazing removed prior to accident</li><li>(9) Unknown if damaged</li></ul>
10. LF 4 11. RF 012. LR 013. RR 014. TG/H 0	Glazing Damage from Occupant Contact  39. WS 1 40. LF 1 41. RF 1 42. LR 043. RR 0
(0) No door/gate/hatch or door not opened	
Door, Tailgate or Hatch Came Open During Collision (1) Door operational (no damage) (2) Latch/striker failure due to damage (3) Hinge failure due to damage (4) Door structure failure due to damage (5) Door support (i.e., pillar, sill, roof side rail, etc.) failure due to damage (6) Latch/striker and hinge failure due to damage (8) Other failure (specify):	<ul> <li>44. BL</li></ul>
	(9) Unknown if contacted by occupant




LOCATION OF INTRUSION	INTRUDED COMPONENT	(AI COMPARISON VALUE	l Meası —	urements Are in C INTRUDED VALUE	entimeters) =	INTRUSION	DOMINANT CRUSH DIRECTION	
11	A PILLAR	42	_	40	=	2	Long	]
//	TOE PAN	70		26	=	44	11	
11	DASH	86		59	=	27	//	Î
1/	STEERING, COLUMN	55	_	30	=	25	11	2
11	KICK PANEL	73	_	57	=	16	11	L
//	POOR PANEL	? –		TOAN	OFIC	. ;	/1	1
11	ROOF	50	-	34	=	16	LAT	76
11	ROOF SIDE	50	_	39	=	11	[1	1
12	WINDSHIELD	73	_	64	=	9	Long	7
17	DASH	86	_	70	=	16	11	1
13	DASH	86	_	86	=	Ø	11	1
13	WIND 5H180	73	_	70	=	.3	11	7
13	WINDSHIELD	65	_	65	=	Ø	1/	1
11	WINDSHIECD	73	_	60	=	13	1/	1
					=			

OCCUPANT ARE	A INTRUSION
Note: If no intrusions, leave variables IV47-IV86 blank.	INTRUDING COMPONENT
Dominant Location of Intruding Magnitude Crush Intrusion Component of Intrusion Direction	Interior Components (01) Steering assembly (02) Instrument panel left (03) Instrument panel center
1st 47	(O4) Instrument panel right (O5) Toe pan (O6) A (A1/A2)-pillar (O7) B-pillar
2nd 51. $11$ 52. $02$ 53. $3$ 54. $2$	(08) C-pillar (09) D-pillar (10) Side panel - forward of the A1/A2-pillar (11) Door panel (side)
3rd 55. $11$ 56. $01$ 57. $3$ 58. $2$ 4th $11$ 06 $3$ 2  Ath 59. $11$ 60. $10$ 61. $3$ 62. $2$ 5th 763. $11$ 64. $13$ 65. $3$ 66. $3$	<ul> <li>(12) Side panel - rear of the B-pillar</li> <li>(13) Roof (or convertible top)</li> <li>(14) Roof side rail</li> <li>(15) Windshield</li> <li>(16) Windshield header</li> <li>(17) Window frame</li> <li>(18) Floor pan (includes sill)</li> <li>(19) Backlight header</li> <li>(20) Front seat back</li> <li>(21) Second seat back</li> </ul>
$641. \frac{12}{67. 12} 68. \frac{03}{69. \frac{3}{70. 2}} 70. \frac{3}{241. \frac{71}{71. \frac{14}{73. 2}} 74. \frac{3}{241. \frac{3}{241}}$	<ul> <li>(22) Third seat back</li> <li>(23) Fourth seat back</li> <li>(24) Fifth seat back</li> <li>(25) Seat cushion</li> <li>(26) Back door/panel (e.g., tailgate)</li> <li>(27) Other interior component (specify):</li> </ul>
10 th 8HT 75. 1 / 76. 15 77. 2 78. 2	Exterior Components (30) Hood (31) Outside surface of this vehicle (specify):
9th 791_2801_5812822	(32) Other exterior object in the environment (specify):  (33) Unknown exterior object (97) Catastrophic (98) Intrusion of unlisted component(s) (specify):  (99) Unknown
10th 83 84 85 86	MAGNITUDE OF INTRUSION
Front Seat Fourth Seat (11) Left (41) Left (12) Middle (13) Right (43) Right  Second Seat (97) Catastrophic (21) Left (98) Other enclosed (22) Middle (23) Right (90) Hekepyth	<ul> <li>(1) ≥ 3 centimeters but &lt; 8 centimeters</li> <li>(2) ≥ 8 centimeters but &lt; 15 centimeters</li> <li>(3) ≥ 15 centimeters but &lt; 30 centimeters</li> <li>(4) ≥ 30 centimeters but &lt; 46 centimeters</li> <li>(5) ≥ 46 centimeters but &lt; 61 centimeters</li> <li>(6) ≥ 61 centimeters</li> <li>(7) Catastrophic</li> <li>(9) Unknown</li> </ul>
(99) Unknown Third Seat (31) Left (32) Middle (33) Right	DOMINANT CRUSH DIRECTION (1) Vertical (2) Longitudinal (3) Lateral (7) Catastrophic (9) Unknown

		NG RIM/SPO (All Measurements A				
COMPARISON V		DAMAGE		=	DEFORMATION	
COM ANSON V	ALUE –	DAWAGE	VALUE	<del></del>	DEFORMATION	
	<del>-</del>			=		
		<del> </del>		=		
				=		
	· —			=		
						ĕ
		•				
•						
					•	
			-			

STEERING COLUMN	INSTRUMENT PANEL		
87. Steering Column Type (1) Fixed column	92. Odometer Reading		
<ul><li>(2) Tilt column</li><li>(3) Telescoping column</li><li>(4) Tilt and telescoping column</li><li>(8) Other column type (specify):</li></ul>	Code to the nearest 1,000 kilometers (000) No odometer (001) Less than 1,500 kilometers (500) 499,500 kilometers or more		
(9) Unknown	$\underline{2}, \underline{879}$ miles X 1.6093 = $\underline{4}, \underline{639}$ kilometers		
88. Tilt Steering Column Adjustment (0) No tilt steering column (1) Full up (2) Between full up and center (3) Center (4) Between center and full down	93. Instrument Panel Damage from Occupant Contact? (0) No (1) Yes		
(5) Full down (9) Unknown	(9) Unknown  94. Type of Knee Bolster Covering (0) No knee bolster		
89. Telescoping Steering Column Adjustment (0) No telescoping steering column (1) Full back (2) Between full back and midpoint	(1) Padded (2) Rigid plastic (8) Other (specify): (9) Unknown		
(3) Midpoint (4) Between midpoint and full forward (5) Full forward (9) Unknown	95. Knee Bolsters Deformed from Occupant Contact? (0) No knee bolster (1) No deformation (2) Yes - deformation (9) Unknown		
90. Steering Rim/Spoke Deformation  Code actual measured deformation to the nearest centimeter (00) No steering rim deformation (01-14) Actual measured value in centimeters (15) 15 centimeters or more (98) Observed deformation cannot be measured (99) Unknown	96. Did Glove Compartment Door Open During Collision(s)? (0) No glove compartment door (1) No - door did not open (2) Yes - door opened (9) Unknown		
91. Location of Steering Rim/Spoke Deformation (00) No steering rim deformation	97. Adaptive (Assistive) Driving Equipment (0) No adaptive driving equipment (1) Adaptive driving equipment installed (Check all that apply.) [] Hand controls for braking/acceleration [] Steering control devices (attached to OEM		
Quarter Sections (01) Section A (02) Section B (03) Section C (04) Section D  Half Sections	steering wheel [] Steering knob attached to steering wheel [] Low effort power steering (unit or device) [] Replacement steering wheel (i.e., reduced diameter) [] Joy-stick steering controls [] Wheelchair tie-downs		
(05) Upper half of rim/spoke (06) Lower half of rim/spoke (07) Left half of rim/spoke (08) Right half of rim/spoke	[ ] Modification to seat belts (specify):  [ ] Additional or relocated switches (specify):  [ ] Raised roof		
(09) Complete steering wheel collapse (10) Undetermined location (99) Unknown	<ul><li>[ ] Wall-mounted head rest (used behind wheelchair)</li><li>[ ] Other adaptive device (specify):</li></ul>		
	(9) Unknown		



Certain Probable

Possible Unknown

(1) (2) (3) (9)

POINTS OF OCCUPANT CONTACT								
	Interior Component	Occupant No. If	Body Region If			Confidence Level of Contact		
Contact	Contacted	Known	Known	Supporting Physic		Point		
Α	170	01	CHEST	PEPleyed-5a	uff mark			
В	010	47	5	INTRUSION		2		
С	051	11	L LE9	JEAN PANT LEG	QUEST W			
180		. 11		DOUR - IN,	very & ForTRus	(in)		
Z D	251	11	Lower 2	Egs - INTRUS	100	2_		
F								
G								
Н								
ı								
J								
К								
L								
М								
N								
(006) Steering of codes (007) Steering column, tr lever, oth (008) Cellular tr radio (009) Add on e tapedeck (010) Left instr below (011) Center in below (012) Right instr below (013) Glove col (014) Knee bols (015) Windshie more of the header, A instrumer steering side only (016) Windshie more of the header, A instrume (passeng) (017) Windshie exterior (017)	wheel rim wheel hub/spoke wheel (combination 004 and 005) ransmission selector rer attachment elephone or CB quipment(e.g., , air conditioner) ument panel and strument panel and trument panel and mpartment door ster Ild including one or the following: front A (A1/A2)-pillar, nt panel, mirror, or assembly (driver	LEFT SIDE (051) Left side excludir armrest: (052) Left side armrest: (053) Left A (1054) Left B-p (055) Other le (056) Left side (057) Left side (057) Left side (058) Left side (059) Left side includin followir sill, A (200 or roof (060) Other le (specify RIGHT SIDE (101) Right side armrest (102) Right side armrest (103) Right A (104) Right B (105) Other ri (106) Right side (107) Right side (107) Right side (108) Right S (109) Right side (109)	e interior surface, ng hardware or s e hardware or [A 1/A 2)-pillar pillar eft pillar (specify):  e window glass e window sill e window glass go ne or more of the gg. frame, window A 1/A 2)-pillar, B-pillar side rail. eft side object y):  ide interior surface, ng hardware or ts ide hardware or t (A 1/A 2)-pillar	(specify):  AIR BAG (170) Air bag-driver side (175) Air bag compartment cover-driver side (180) Air bag-passenger side (185) Air bag compartment cover-passenger side (190) Other air bag (specify)  (195) Other air bag compartment cover (specify)  ROOF (201) Front header (202) Rear header (203) Roof left side rail (204) Roof right side rail (205) Roof or convertible top  (251) Floor (including toe pan (252) Floor or console mounts transmission lever, inclu console (253) Parking brake handle	ADAPTIVE (ASSISTI' EQUIPMENT (401) Hand controls braking/accele (402) Steering controls steering controls steering wheel (403) Steering knob steering wheel (405) Replacement (i.e., reduced (406) Joy stick stee (407) Wheelchair tie (408) Modification t (specify): (409) Additional or switches, (spi (410) Raised roof (411) Wall mounted (used behind (used behind (412) Other adaptive (specify):  (410) Repecify:  (410) Raised roof (411) Wall mounted (used behind (used behind (used behind (412) Other adaptive (specify):  (410) Repecify:  (410) Raised roof (411) Wall mounted (used behind (us	age rack, ect (specify):  VE) DRIVING is for eration rol devices DEM steering a attached to al steering wheel diameter) ering controls e-downs to seat belts, relocated ecify):  d head rest wheel chair) re device		
				(254) Foot controls including parking brake	CONFIDENCE LEVEL POINT	OF CONTACT		

			·					
		MA	ANUAL RESTR	AINTS				
NOTES	Encode the applicable data for Restraint systems should be as:	each sea sessed d	at position in the vel uring the vehicle ins	nicle. The attribu	ite for ed on t	the va	riable may be found below. cupant Assessment Form.	
	If a child safety seat is present,	encode	the data on the bac	k of this page 11	•			
	If the vehicle has automatic res	traints a	vailable, encode the	appropriate data	on pag	e 6.		
			Left	Cente	er		Right	
	A-Availability		4	3	,		4	
F R	B-Evidence of usage	00		0	00		00	
	C-Used in this crash?		NO	No			NO	
	D-Proper Use			, ,	<u> </u>		7	
S T	E-Failure Modes		7	<u></u>	<u> </u>	1	7	
	F-Anchorage Adjustment		<del></del>		)			
	A-Availability							
_	B-Evidence of usage							
SECOZO	C-Used in this crash?						/	
C	D-Proper Use					$\nearrow$		
Ň	E-Failure Modes				$\overline{}$			
D	F-Anchorage Adjustment	-						
	A-Availability							
_	B-Evidence of usage							
O T	C-Used in this crash?							
Н	D-Proper Use	1						
E	E-Failure Modes	<b> </b>						
R	F-Anchorage Adjustment							
		L		l	_			
	al (Active) Belt System Availability	•	Use of Manual (Active None used or not ava				Jpper Anchorage Adjustment oulder belt	
	None available Belt removed/destroyed	(O) (1)	Belt used properly	madie	(O) (1)		per anchorage adjustment for	
(2)	Shoulder belt	(2)	Belt used properly w	th child safety			der belt	
	Lap belt Lap and shoulder belt		seat			Adius	table shoulder Belt Upper	
	Belt available - type unknown	Belt (	Used Improperly .		Anchorage			
	A D. M. D. of M. Danasand	(3) Shoulder belt worn under arm			(2) In full up position			
	ral Belt Partially Destroyed Shoulder belt (lap belt	(4)	Shoulder belt worn b seat	ening back or	(3) In mid position (4) In full down position			
	destroyed/removed)	•			(5)	Positi	on unknown	
	Lap belt (shoulder belt destroyed/removed)	(6)	person  Lap belt worn on about	lomen	(9)		own if position has adjustable anchorage adjustment	
	Other belt (specify):	(7)	Lap belt or lap and si			appei	anchorage dojustment	
(0)	Uala		used improperly with	child safety				
(9)	Unknown	(8)	seat (specify): Other improper use of	of manual belt				
B/C-Ma	nual (Active) Belt System Use		system (specify):					
(00)	None used, not available, or belt removed/destroyed	(9)	Unknown	·				
(01)	Inoperable (specify):	(5)	CHRIDWII					
(02)	Shoulder belt		(Active) Belt Failure N	lodes During				
(03)	Lap belt Lap and shoulder belt	Accident (0)	No manual belt used	or not available				
(04) (05)	Belt used - type unknown	(1)	No manual belt failur					
(80)	Other belt used (specify):	(2)	Torn webbing (stretc					
(12)	Shoulder belt used with child safety	(3)	not included) Broken buckle or late	cholate				
/	seat	(4)	Upper anchorage ser	parated				
(13)	Lap belt used with child safety seat	(5)	Other anchorage sep	arated				
(14)	Lap and shoulder belt used with child safety seat	(6)	(specify):					
(15)								

Other manual belt failure (specify):

type unknown

seat (specify):\_\_

(99) Unknown if belt used

(18) Other belt used with child safety

(8)

(9)

Unknown

## **AUTOMATIC RESTRAINTS**

NOTES: Encode the data for each applicable front seat position. The attribute for the variables may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

AIR BAGS

		Frontal Air BagsLeft Front	Frontal Air Bags-Right Front	OtherAir Bag
F	Availability/Function	1	0	0
R	Deployment	<i>t</i>	0	0
S   T	Failure	1	O	0

#### Air Bag System Availability/Function

- (0) Not equipped/not available
- (1) Air bag

#### Non-functional

- (2) Air bag disconnected (specify):
- (3) Air bag not reinstalled
- (9) Unknown

## Air Bag System Deployment (This Occupant Position)

- (0) Not equipped/not available
- (1) Deployed during accident (as a result of impact)
- (2) Deployed inadvertently just prior to accident
- (3) Deployed, accident sequence undetermined
- (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)
- (5) Unknown if deployed
- (7) Nondeployed
- (9) Unknown

#### Are There Indications of Air Bag System Failure? (This Occupant Position)

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (9) Unknown

#### **AUTOMATIC BELTS**

1			
		Left	Right
	A-Availability/Function		
F	B-Use		
R	C-Type		
S	D-Proper Use		
	E-Failure Modes		

# A-Automatic (Passive) Belt System Availability/Function

- (0) Not equipped/not available
- (1) 2 point automatic belts
- (2) 3 point automatic belts
- (3) Automatic belts type unknown

#### Non-functional

- (4) Automatic belts destroyed or rendered inoperative
- (9) Unknown

#### B-Automatic (Passive) Belt System Use

- (0) Not equipped/not available/destroyed or rendered inoperative
- (1) Automatic belt in use
- (2) Automatic belt not in use (manually disconnected, motorized track inoperative)
- (3) Automatic belt use unknown
- (9) Unknown

#### C-Automatic (Passive) Belt System Type

- (0) Not equipped/not available
- (1) Non-motorized system
- (2) Motorized system
- (9) Unknown

# D-Proper Use of Automatic (Passive) Belt System

- (0) Not equipped/not available/not used
- (1) Automatic belt used properly
- (2) Automatic belt used properly with child safety seat

#### Automatic Belt Used Improperly

- (3) Automatic shoulder belt worn under
- (4) Automatic shoulder belt worn behind
- (5) Automatic belt worn around more than one person
- (6) Lap portion of automatic belt worn on abdomen
- (7) Automatic lap and shoulder belt or

automatic shoulder belt used improperly with child safety seat (specify):

- (8) Other improper use of automatic belt system (specify):
- (9) Unknown

# E-Automatic (Passive) Belt Failure Modes During Accident

- (0) Not equipped/not available/not in use
- (1) No automatic belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated (specify):
- (6) Broken retractor
- (7) Combination of above (specify):
- (8) Other automatic belt failure (specify):
- (9) Unknown

## FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data *for the driver and first seat passenger* in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

	Driver	Passenger
A-Type of air bag?	7	
B-Flaps open at tear points?	2	1
C-Flaps damaged?	/	-
D-Air bag damaged?	01	
E-Source of air bag damage	01	
F-Air bag tethered?	2	
G-Air bag have vent ports?	2	
H-Other occupant contact air bag?	1	
I-Occupant wearing eyewear?	9	B

## A-Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

# B-Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

# C-Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

## D-Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured .
- (03) Cut
- (04) Torn
- (05) Holed
- (06) Burned
- (07) Abraded
- (88) Other damage (specify):
- (95) Damaged, details unknown
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

## E-Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify):
- (03) Object carried by occupant, (specify):
- (04) Adaptive/assistive controls, (specify):
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify):
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

#### F-Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps):
- (3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

#### G-Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports):
- (3) Deployed, unknown if vent ports present
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

# H-Was the Air Bag in this Occupant's Position Contacted by Another Occupant?


- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

## I-Was This Occupant Wearing Eye-wear?


- (0) Not equipped/not available
- (1) No
- (2) Eyegiasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

## DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)




2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)



## DRIVER AIR BAG SKETCHES (Cont'd)

3. DRIVER AIR BAG MODULE COVER FLAP SIZE (SINGLE)

width  $(W_U)$  /O width  $(W_L)$  /O height (H) /O



4. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)

a. Upper Flap


b. Lower Flap

width ( $W_{\upsilon}$ ) \_\_\_\_\_

width (Ŵ<sub>L</sub>) \_

height (H<sub>u</sub>)


height/(H<sub>L</sub>) \_\_\_



5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE

6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS


7. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS



# PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES 1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front) cm. cm. 2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)

PASSENGER AIR BAG	G SKETCHES (Cont'd)
3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE)	4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)
width (W)	a. Upper Flap b. Lower Flap
height (H)	width (W <sub>u</sub> ) width (W <sub>L</sub> )
	height (H <sub>U</sub> ) height (H <sub>L</sub> )
H ↓ W → →	H, W,
5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE	6. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS
7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS	
10 11 12 1 2	
9 3 8 7 6 5 4	

"OTHER" AIR BAG DAMAGE AND CONTACT SKETCHES
1. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Front)
2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)



## **HEAD RESTRAINTS/SEAT EVALUATION**

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
	A-Head Restraint Type/Damage	3	0	3
_ [	B-Seat Type	05	05	05
F	C-Seat Orientation	/	/	/
R S	D-Seat Track Position	9	6	6
Ť	E-Seat Back Incline Pre/Post Impact	01	01	01
	F-Seat Performance	6	1	1
	A-Head Restraint Type/Damage			
_	B-Seat Type			
S E	C-Seat Orientation			
C	D-Seat Track Position			
N D	E-Seat Back Incline Pre/Post Impact			
	F-Seat Performance			
	A-Head Restraint Type/Damage			
. т	B-Seat Type			
Н	C-Seat Orientation			
R	D-Seat Track Position			
D	E-Seat Back Incline Pre/Post Impact			
	F-Seat Performance			
	A-Head Restraint Type/Damage			
0	B-Seat Type			
T H	C-Seat Orientation			
Ë R	D-Seat Track Position			
	E-Seat Back Incline Pre/Post Impact			
	F-Seat Performance			

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE (I.E., UNUSUAL OCCUPANT CONTACT PATTERN)

## **HEAD RESTRAINTS/SEAT EVALUATION**


Occu	ad Restraint Type/Damage by pant at This Occupant Position to head restraints ntegral — no damage	Impa	t Back Incline Prior and Post et Occupant not seated or no seat Not adjustable	
(2) III a (3) A (4) A (5) A (6) A (8) (9) U	ntegral — damaged during ccident Adjustable — no damage Adjustable — damaged during ccident Add-on — no damage Add-on — damaged during ccident Other Specify):  Jinknown	(11) (12) (13) (14)	ht prior to impact Moved to completely rearward position Moved to rearward midrange position Moved to slightly rearward position Retained pre-impact position Moved to slightly forward position	15 14 13 12 11
	Occupant not seated or no		ly reclined prior to impact	25 <sup>24</sup> 23
(00)	seat	(21)	Moved to completely rearward	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	Bucket	(22)	position  Moved to rearward midrange	
	Bucket with folding back Bench	(,	position	27 \ \ \ \ \ 21
	Bench with separate back	(23)	Retained pre-impact postion	
	cushions	(24) (25)	Moved to upright position Moved to slightly forward	
	Bench with folding back(s) Split bench with separate back	(20)	position	
(00)	cushions	(26)	Moved to forward midrange	
	Split bench with folding back(s)	(27)	position Moved to completely forward position	
(80)	Pedestal (i.e., column supported)		position	
(09)	Box mounted seat (i.e., van	Comp	letely reclined prior to impact	
	type) Other seat type (specify):	(31)	Retained pre-impact position Moved to rearward midrange position	35
(99)	Unknown	(33)	Moved to slightly rearward	
,,		(34) (35)	position Moved to upright position Moved to slightly forward	37 31
C-Se	at Orientation (this Occupant		position	
Posit	ion)	(36)	Moved to forward midrange position	
(O)	Occupant not seated or no seat	(37)	Moved to completely forward	
(1)	Forward facing seat		position	
(2) (3)	Rear facing seat Side facing seat (inward)	(99)	Unknown	Coding diagrams for Seat Back Incline
(4) (8)	Side facing seat (niward) Side facing seat (outward) Other (specify):			Position Prior and Post Impact
(9)	Unknown		t Performance (this Occupant	
(0)	· ·	Positi		
		(O) (1)	Occupant not seated or no seat No seat performance failure(s)	
D-Se	at Track Adjusted Position Prior	(2)	Seat adjusters failed	
To in	npact	(3)	Seat back folding locks or "seat back" failed (specify):	
(O)	Occupant not seated or no seat		addit funda (opcony).	
(1)	Non-adjustable seat track	(4) (5) (6)	Seat tracks/anchors failed Deformed by impact of occupant Deformed by passenger	
	stable Seat Track Seat at forward most track	101	compartment intrusion	21130
(2)	position	(7)	compartment intrusion (specify): //// ASIVE AT A Combination of above (specify):	pius
(3)	Seat between forward most and middle track positions			
(4)	Seat at middle track position	(8)	Other (specify):	
(5)	Seat between middle and rear most track positions	(9)	Unknown	
(6)	Seat at rear most track			
-				

(9)

position Unknown

						1	
Occupant Number					· · · · · · · · · · · · · · · · · · ·		
. Type of Child Safety Seat							
2. Child Safety Seat Orientation							
3. Child Safety Seat Harness Usage							
I. Child Safety Seat Shield Usage							
5. Child Safety Seat Tether Usage							
6. Child Safety Seat Make/Model		Specif	ју Ве	low for E	ach Child Sat	fety Seat	
(0) No child Safety Seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat (7) Other type child safety (9) Unknown child safety (9) Unknown if child safety (10) No child safety seat (10) No child safety seat (11) Rear facing (12) Forward facing (13) Other orientation (14) Rear facing (15) Unknown orientation (16) Unknown orientation (17) Unknown orientation (18) Other orientation (specific seat) (19) Unknown orientation	y seat (specify):  y seat type y seat used tion for  becify): n cing for This		5.	Child Saf Note: Op (00) No Not Desig (01) Afte add (02) Afte (03) Chill harr (09) Unk (11) Har (12) Har (19) Unk Unknowr (21) Har (22) Har (29) Unk (99) Unk	gned with Ha er market hat ed, not used er market hat d safety sea ness/shield/to nown if harr ed or used  With Harnes ness/shield/to nown if harr of If Designed ness/shield/to nown if harr to If Designed ness/shield/to nown if harr to If harr	eld Usage her Usage Are Used for \ seat arness/Shield/Terness/shield/te trused, but no ether added hess/shield/Tethe ether not used ether used hess/shield/tet With Harness ether used hess/shield/tet With Harness ether used hess/shield/tet d safety seat used	Tether ther ther used after marke her  Her used /Shield/Teth her used

ation	al Accident Sampling System-Ci					rm		Page 12
		JECTION/	ENTRAPI	MENT DAT	ΓΑ			
Con in th	pplete the following if the researche vehicle. Code the appropriate	ther has any in the	ndication th Occupant A	at an occupa ssessment F	int was eit orm.	her ejected	from or er	ntrapped
	CTION No [ ] Yes [ V] cribe indications of ejection and		volved in pa	artial ejection	(s):			
	Occupant Number	01						
	Ejection	1						
	(Note on Vehicle Interior Sketch) Ejection Area	2						
	Ejection Medium	1						
	Medium Status	2						
Ejection (1) Complete ejection (2) Partial ejection (3) Ejection, Unknown degree (9) Unknown			r area (e.g., p, etc.) (spe		(5) Integral structure (8) Other medium (specify): (9) Unknown			
Ejection Area (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear  Ejection Medium (1) Door/hatch/tailgate (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): (5) Right rear (6) Rear  Medium Status (Immediate to Impact) (1) Open (2) Closed (3) Integral structure (4) Nonfixed glazing (specify): (9) Unknown					Prior			
ENT Des	RAPMENT No [V] Yes cribe entrapment mechanism:	LEFT	LEG (	PANTS) 14RS LE	CAuc q was	gut in	Doc TOR	J
Con	nponent(s):							
(No	te on vehicle interior sketch)							



## **OCCUPANT ASSESSMENT FORM**

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number	OCCUPANT'S SEATING
· · · · · · · · · · · · · · · · · · ·	10. Occupant's Seat Position
2. Case Number - Stratum OIHA	Front Seat
3. Vehicle Number	(11) Left side
4. Occupant Number	(12) Middle (13) Right side
	(14) Other (specify):
OCCUPANT'S CHARACTERISTICS	(15) On or in the lap of another occupant
5. Occupant's Age Code actual age at time of accident. (00) Less than one year old (specify by month):  (97) 97 years and older (99) Unknown	Second Seat (21) Left side (22) Middle (23) Right side (24) Other (specify): (25) On or in the lap of another occupant
6. Occupant's Sex (1) Male (2) Female-not reported pregnant (3) Female-pregnant-1st trimester(1st-3rd month) (4) Female-pregnant-2nd trimester(4th-6th month) (5) Female-pregnant-3rd trimester(7th-9th month) (6) Female-pregnant-term unknown (9) Unknown	Third Seat (31) Left side (32) Middle (33) Right side (34) Other (specify): (35) On or in the lap of another occupant  Fourth Seat (41) Left side (42) Middle (43) Right side (44) Other (specify):
7. Occupant's Height Code actual height to the nearest centimeter. (999) Unknown  70 inches X 2.54 = 178 centimeters	(45) On or in the lap of another occupant  (97) In or on unenclosed area  (98) Other seat (specify):  (99) Unknown
8. Occupant's Weight Code actual weight to the nearest kilogram. (999) Unknown    (999) Unknown   (999) Unknown	11. Occupant's Posture (0) Normal posture  Abnormal posture (1) Kneeling or standing on seat (2) Lying on or across seat (3) Kneeling, standing or sitting in front of seat (4) Sitting sideways or turned to talk with another occupant or to look out a rear window (5) Sitting on a console (6) Lying back in a reclined seat position (7) Bracing with feet or hands on a surface in front of seat (8) Other abnormal posture (specify):

	EJE(	CTION/EI	NTRAPMENT
12.	Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown		15. Medium Status (Immediately Prior To Impact) 2 (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown
	Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown  Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): (5) Integral structure (8) Other medium (specify): (9) Unknown	<u>2</u>	16. Entrapment (0) Not entrapped/exit not inhibited (1) Entrapped/pinned - mechanically restrained (2) Could not exit vehicle due to jammed doors, fire, etc. (specify): (9) Unknown  17. Occupant Mobility (0) Occupant fatal before removed from vehicle (1) Removed from vehicle while unconscious or not oriented to time or place (2) Removed from vehicle due to perceived serious injuries (3) Exited vehicle with some assistance (4) Exited vehicle under own power (5) Occupant fully ejected (8) Removed from vehicle for other reasons (specify): (9) Unknown

	BELT SYSTE	WI FUNCTION
18.	Manual (Active) Belt System Availability (0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown	22. Manual Shoulder Belt Upper Anchorage Adjustment (0) No manual shoulder belt (1) No upper anchorage adjustment for manual shoulder belt Adjustable shoulder Belt Upper Anchorage (2) In full up position
	Integral Belt Partially Destroyed  (6) Shoulder belt (lap belt destroyed/removed)  (7) Lap belt (shoulder belt destroyed/removed)  (8) Other belt (specify):	<ul> <li>(3) In mid position</li> <li>(4) In full down position</li> <li>(5) Position unknown</li> <li>(9) Unknown if position has adjustable upper anchorage adjustment</li> </ul>
19.	(9) Unknown  Manual (Active) Belt System Use (00) None used, not available, or belt removed/destroyed (01) Inoperative (specify):  (02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt (05) Belt used—type unknown (08) Other belt used (specify):  (12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat (15) Belt used with child safety seat—type unknown	23. Automatic (Passive) Belt System Availability/ Function (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown  Non-functional (4) Automatic belts destroyed or rendered inoperative (9) Unknown  24. Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt in use (manually disconnected, motorized track inoperative) (specify):
20.	(18) Other belt used with child safety seat (specify): (99) Unknown if belt used  Proper Use of Manual (Active) Belts (0) None used or not available (1) Belt used properly	(3) Automatic belt use unknown (9) Unknown  25. Automatic (Passive) Belt System Type (0) Not equipped/not available (1) Non-motorized system (2) Motorized system (9) Unknown
	<ul> <li>(2) Belt used properly with child safety seat</li> <li>Belt Used Improperly</li> <li>(3) Shoulder belt worn under arm</li> <li>(4) Shoulder belt worn behind back or seat</li> <li>(5) Belt worn around more than one person</li> <li>(6) Lap belt worn on abdomen</li> <li>(7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):</li> <li>(8) Other improper use of manual belt system (specify):</li> <li>(9) Unknown</li> </ul>	26. Proper Use of Automatic (Passive) Belt System (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat  Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or
21.	Manual (Active) Belt Failure Modes During Accident (0) No manual belt used or not available (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): (6) Broken retractor (7) Combination of above (specify):	automatic shoulder belt used improperly with child safety seat (specify):  (8) Other improper use of automatic belt system (specify): (9) Unknown  27. Automatic (Passive) Belt Failure Modes During Accident (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify):
	(9) Unknown	<ul> <li>(6) Broken retractor</li> <li>(7) Combination of above (specify):</li> <li>(8) Other automatic belt failure (specify):</li> <li>(9) Unknown</li> </ul>

POLICE REPORTED RESTRAINT USE	AIR BAG SYSTEM FUNCTION
28. Police Reported Belt Use  (0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify):	30. Frontal Air Bag System Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag  Non-functional (2) Air bag disconnected (specify):  (3) Air bag not reinstalled (9) Unknown
(9) Police indicated "unknown"  29. Police Reported Air Bag Availability/Function (0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"	31. Frontal Air Bag System Deployment (This Occupant Position) (O) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown
Check the Primary Source Used In Determining Belt Use.  [V] Vehicle inspection [] Official injury data [] Driver/occupant interview [] Other (specify):  [] Unknown if belt used	32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) (O) Not equipped/not available (1) Air bag  Non-functional (2) Air bag disconnected (specify):  (3) Air bag not reinstalled (9) Unknown Specify type of "other" air bag present:
	<ul> <li>33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position)</li> <li>(0) Not equipped with an "other" air bag</li> <li>(1) Deployed during accident (as a result of impact)</li> <li>(2) Deployed inadvertently just prior to accident</li> <li>(3) Deployed, details unknown</li> <li>(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)</li> <li>(5) Unknown if deployed</li> <li>(7) Nondeployed</li> <li>(9) Unknown</li> </ul>
	34. Are There Indications of Air Bag System Failure? (This Occupant Position) (0) Not equipped/not available (1) No (2) Yes (specify): (9) Unknown

FIRST SEAT FRONTAL AIR	BAG SYSTEM EVALUATION
35. Had Vehicle Been in Previous Accident(s)?  (0) Not equipped/not available (1) No previous accidents  Yes (2) Previous accident(s) without deployment(s) (3) One previous accident with deployment (4) More than one previous accident with at least one deployment (8) Previous accidents, unknown deployment status (9) Unknown	40. Longitudinal Component of Delta V For Air Bag Deployment Impact (_000) Not equipped/not available Code the value of the delta V for the impact that initiated the air bag deployment (_996) Deployment, unknown longitudinal Delta V (_997) Not deployed (_998) Unknown if deployed (_999) Unknown
36. Type of Air Bag (0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown	41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? (0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at designated tear points (7) Not deployed (8) Unknown if deployed
37. Had Any Prior Maintenance/Service Been Performed On This Air Bag System?  (0) Not equipped/not available (1) No prior maintenance (2) Yes, prior maintenance (specify):  (9) Unknown	(9) Unknown  42. Were Air Bag Module Cover Flap(s) Damaged?  (0) Not equipped/not available (1) No (2) Yes (specify):  (3) Deployed, unknown if air bag module cover flap(s) damaged (7) Not deployed
38. Air Bag Deployment Accident Event Sequence Number (00) Not equipped/not available  Code the accident event sequence number that initiated the air bag deployment (96) Deployed, unknown event (97) Not deployed (98) Unknown if deployed (99) Unknown	(8) Unknown if deployed (9) Unknown  43. Was There Damage To The Air Bag? (00) Not equipped/not available (01) Not damaged  Yes - Air Bag Damage (02) Ruptured (03) Cut (04) Torn
39. CDC For Air Bag Deployment Impact (0) Not equipped/not available (1) Highest delta V (2) Second highest delta V (3) Other non-coded delta V (specify):  (6) Deployed, unknown event (7) Not deployed (8) Unknown if deployed (9) Unknown	(05) Holed (06) Burned (07) Abraded (88) Other damage (specify):  (95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown

	FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION continued		HE	AD RESTRAINT AND SEAT EVALUATION
-			49	Head Restraint Type/Damage by Occupant 3
44.	Source of Air Bag Damage $\_{\cal C}$	<u> </u>	75.	at This Occupant Position
	(00) Not equipped/not available		ĺ	(0) No head restraints
	(01) Not damaged			(1) Integral—no damage
	(02) Object worn by occupant, (specify):			(2) Integral—damaged during accident
1				(3) Adjustable—no damage
	(03) Object carried by occupant, (specify):			(4) Adjustable—damaged during accident
				(5) Add-on—no damage
	(04) Adaptive/assistive controls, (specify):			(6) Add-on—damaged during accident
	(05)			(8) Other (specify):
	(05) Fire in vehicle			
	(06) Thermal burns			(9) Unknown
	(07) Rescue or emergency efforts			35
	(88) Other damage source (specify):		50.	Seat Type (this Occupant Position)
	(95) Damaged, unknown source			(00) Occupant not seated or no seat
	(96) Deployed, unknown if damaged			(01) Bucket
	(97) Not deployed			(02) Bucket with folding back
· .	(98) Unknown if deployed		1	(O3) Bench
İ	(99) Unknown		1	(04) Bench with separate back cushions
	·		1	(05) Bench with folding back(s)
		3	1	(06) Split bench with separate back cushions
45.	Was The Air Bag Tethered?	4		(07) Split bench with folding back(s) (08) Pedestal (i.e., column supported)
	(0) Not equipped/not available		1	(09) Box mounted seat (i.e., van type)
	(1) No		l	(10) Other seat type (specify):
l	(2) Yes (specify number of tether straps):			(10) Other seat type (specify).
	ONE	Ī		(99) Unknown
İ	(3) Deployed, unknown if tethered			(SS) CHRISTII
1	(7) Not deployed		51	Seat Orientation (this Occupant Position)
l	(8) Unknown if deployed (9) Unknown		"	(0) Occupant not seated or no seat
İ		9	l	(1) Forward facing seat
46.	Did The Air Bag Have Vent Ports?		1	(2) Rear facing seat
	(0) Not equipped/not available			(3) Side facing seat (inward)
	(1) No			(4) Side facing seat (outward)
İ	(2) Yes (specify number of vent ports):		1	(8) Other (specify):
	Two			
ł	(3) Deployed, unknown if vent ports present		1	(9) Unknown
İ	(7) Not deployed		1	
	(8) Unknown if deployed		52.	Seat Track Adjusted Position Prior To Impact
	(9) Unknown	_	i	(0) Occupant not seated or no seat
47	Was the Air Bag in this Occupant's Position		ł	(1) Non-adjustable seat track
'''	Contacted by Another Occupant?			Adjustable Seat Track
1	(0) Not equipped/not available		1	(2) Seat at forward most track position
ł	(1) No			(3) Seat between forward most and middle track
	(2) Yes (specify):			positions
1	· · · · · · · · · · · · · · · · · · ·			(4) Seat at middle track position
	(3) Deployed, unknown if other occupant cor	tact		(5) Seat between middle and rear most track
	to air bag			positions
	(7) Not deployed		1	(6) Seat at rear most track position
	(8) Unknown if deployed		1	(9) Unknown
	(9) Unknown		1	
1	W TIL 6	1		
48.	Was This Occupant Wearing Eye-wear?		1	
	(0) Not air bag equipped/air bag not available		•	
	(1) No		Ī	
	(2) Eyeglasses/sunglasses			
	(3) Contact lenses			
	(4) Deployed, unknown if eyewear worn (7) Not deployed	,	1	
	(8) Unknown if deployed		1	
	(9) Unknown		1	
1	IVI VIINIUTIII		1	

## **HEAD RESTRAINT AND SEAT EVALUATION continued**

6

- 53. Seat Back Incline Prior and Post Impact
  - (00) Occupant not seated or no seat
  - (01) Not adjustable

## Upright prior to impact


- (11) Moved to completely rearward position
- (12) Moved to rearward midrange position
- (13) Moved to slightly rearward position
- (14) Retained pre-impact position
- (15) Moved to slightly forward position
- (16) Moved to forward midrange position
- (17) Moved to completely forward position


## Slightly reclined prior to impact


- (21) Moved to completely rearward position
- (22) Moved to rearward midrange position
- (23) Retained pre-impact position
- (24) Moved to upright position
- (25) Moved to slightly forward position
- (26) Moved to forward midrange position
- (27) Moved to completely forward position

## Completely reclined prior to impact

- (31) Retained pre-impact position
- (32) Moved to rearward midrange position
- (33) Moved to slightly rearward position
- (34) Moved to upright position
- (35) Moved to slightly forward position
- (36) Moved to forward midrange position
- (37) Moved to completely forward position
- (99) Unknown
- 54. Seat Performance (this Occupant Position)
  - (0) Occupant not seated or no seat
  - (1) No seat performance failure(s)
  - (2) Seat adjusters failed
  - (3) Seat back folding locks or "seat back" failed (specify):
  - (4) Seat track/anchors failed
  - (5) Deformed by impact of occupant
  - (6) Deformed by passenger compartment intrusion, (specify): DASH PASH BACK
  - (7) Combination of above (specify):
  - (8) Other (specify):
  - (9) Unknown







	CI	HILD SAF	ETY SEAT
55.	Child Safety Seat Make/Model (000) No child safety seat Applicable codes are found in your NASS	0 0	58. Child Safety Seat Harness Usage
	Data Collection, Coding and Editing (950) Built-in child safety seat (997) Other make/model (specify):	CD3	59. Child Safety Seat Shield Usage
	(998) Unknown make/model (999) Unknown if child safety seat used		60. Child Safety Seat Tether Usage  Note: Options below applicable to Variables OA58-OA60.
	Type of Child Safety Seat (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat - with shield (5) Booster seat - without shield (7) Other type child safety seat (specify): (8) Unknown child safety seat type (9) Unknown if child safety seat used	00	<ul> <li>(00) No child safety seat</li> <li>Not Designed With Harness/Shield/Tether</li> <li>(01) After market harness/shield/tether added, not used</li> <li>(02) After market harness/shield/tether used</li> <li>(03) Child safety seat used, but no after market harness/shield/tether added</li> <li>(09) Unknown if harness/shield/tether added or used</li> <li>Designed With Harness/Shield/Tether</li> <li>(11) Harness/shield/tether not used</li> <li>(12) Harness/shield/tether used</li> </ul>
57.	Child Safety Seat Orientation (00) No child safety seat  Designed for Rear Facing for This Age/We (01) Rear facing (02) Forward facing (08) Other orientation (specify):  (09) Unknown orientation  Designed For Forward Facing for This Age (11) Rear facing (12) Forward facing (18) Other orientation (specify):  (19) Unknown orientation  Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight (21) Rear facing (22) Forward facing (28) Other orientation (specify):  (29) Unknown orientation	eight	Unknown If Designed With Harness/Shield/Tether (21) Harness/shield/tether not used (22) Harness/shield/tether used (29) Unknown if harness/shield/tether used (99) Unknown if child safety seat used
	(99) Unknown if child safety seat used		

INJURY CONSEQUENCES	
Injury Severity (Police Rating)  (O) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown	63. Type Of Medical Facility (for Initial Treatment) O (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
Treatment - Mortality (O) No treatment (1) Fatal (2) Fatal - ruled disease (specify):  Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - nontransported (6) Treatment later (7) Treatment - other (specify): (8) Transported to a medical facility-unknown if treated (9) Unknown	64. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the occupant stayed in hospital. (61) 61 days or more (99) Unknown  65. Working Days Lost Code the number of days (up through 60) that the occupant lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
STOP WO	ORK HERE

**VARIABLES 66-74** 

TO BE CODED BY THE ZONE CENTER

## TO BE CODED BY THE ZONE CENTER

	TO BE CODE	ו זש שו	THE ZOME CLATEN
	INJURY CONSEQUENCES		TRAUMA DATA
66	Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day 31, 2 days = 32, n days = 30 + n up through 30 days = 60)  (00) Not fatal  (96) Fatal - ruled disease  (99) Unknown	04	71. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured
68	7. 1st Medically Reported Cause of Death  3. 2nd Medically Reported Cause of Death  9. 3rd Medically Reported Cause of Death  Code the Occupant Injury from line number(s) for the medically reported	02	72. Was the Occupant Given Blood?  (1) No - blood not given  (2) Yes - blood given  (specify units):  (9) Unknown if blood given  73. Arterial Blood Gases (ABG) – HCO <sub>3</sub>
	injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):  (97) Other result (includes fatal ruled		(00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO <sub>3</sub> (96) ABGs reported, HCO <sub>3</sub> unknown (97) Injured, details unknown (99) Unknown if injured
	disease) (specify):	•	BELT USE DETERMINATION
7	0. Number of Recorded Injuries for This OccupantCode the actual number of injuries recorded for this occupant. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured	22	74. Primary Source of Belt Use Determination (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): (9) Unknown if belt used
ł			

## OCCUPANT INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

- 1. Primary Sampling Unit Number
- 3. Vehicle Number

2. Case Number - Stratum

4. Occupant Number

## **INJURY DATA**

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

	Source		Type of	A.I.S 9 Specific			_	1-1	Injury Source	Direct/	Occupant Area
	of Injury Data	y Body Region	Anatomic Structure	Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Confidence Level	Indirect Injury	Intrusion Number
1st	5	6. <u> </u>	7.5	8. <u>0</u> 2	9. <u>D</u> O	10.3	11.8	2. <u>0<b>5</b>3</u>	13	14.	15. <u>04</u>
2nd	16	17	18. <u>A</u>	19. <u>06</u>	20. <u>5</u> 2	21. 4	22. 2	3. <u>053</u>	24	25	26.04
3rd	27	28	29.4	30. <u>D</u> Z	31. <u>02</u>	32. <u>5</u>	33. 🔏 3	4. <u>053</u>	35	36	37. <u>04</u>
4th	38. 🖊	39	40. 🛨	41. <u>0</u> 6	42. 84	43. 3	44. 1 4	5. <i>053</i>	46. 🗘	47	48. 04
5th	49. 👤	50. 丄	51.	5206	53. <u>84</u>	54.3	55. 25	6. <u>053</u>	57. 1	58	59. <u>0</u> 4
6th	60.	61. 4	62. 🚄	63. 14	64. <u>O</u>	653	66 6	7. <u>+70</u>	68	69. 🖊	70 🔵 🔾
7th	71	72. <u>5</u>	73.4	74. 16	75. <u>/ O</u>	76. <u>Z</u>	77 7	8. <u>170</u>	79.2	802	81. <u>00</u>
					8608						
9th	93	94/	95	96. <u>/ /</u>	97. <u>QQ</u>	98. 3	99. 2 10	00. <u>59</u> 8	101. 2	102. 🗘	103. <u>Ø</u>
10th	104	105. 8	106	107. <u>[</u> ]	108. <u>O</u> D	109.3	110	1.598	112. 2	113. 👤	114.00
1											

				occu	JPANT II	NJURY	DATA-				
	Source of Injury Data	Body Region	Type of Anatomic Structure	A.I.S 90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Area Intrusion Number
11th	1	8	5	18	14	3	2	D10	2	L	02
12th	1	2	9	02	02	1	7	015	2	4	04
13th	1	2	9	06	02	1	7	015	2	<u>/</u>	04
14th	1	2	9	02	02	1	2	598	2	1	00
15th	1	2	9	06	02	1	2	<i>598</i>	2	_	00
16th		2	9	06	02	1	8	001	2	1	10
1 7th	1	3	9	02	02	1	2	598	. 2		00
18th	1	7	2	06	02	1	2	<i>598</i>	2	1	00
19th	1	7	9	62	02		2	598	7		<u>00</u>
20th	1	4	9	02	02	. L	2	<i>598</i>	-2	Ĺ	00
21st	1	5	9	02	02	1	2	598	? 2		00
22nd	1	8	9	08	02	L	2	590	\$ 2		<u>0</u> 0
23rd		_				·					
24th			_			_					
25th	_										

## OCCUPANT INJURY CLASSIFICATION

## **Body Region** Head Face (2)

## **Specific Anatomic** Structure

#### Specific injuries are assigned consecutive Vessels, Nerves, Organs. two-digit numbers Bones, Joints are assigned beginning with 02. numbers beginning with To the extent possible,

Level of Injury

## Aspect

#### (1)Right Left (2)

- (3)Bilateral (4)Central (5)Anterior
- (6)Posterior (7)Superio: (8) Inferior
- (9) Unknown (0)Whole region

(3)Neck (4) Thorax (5) Abdomen (6)Spine

**Upper Extremity** (7)Lower Extremity (8) (9) Unspecified

Whole Area

Head - LOC

Organs (includes

Muscles/ligaments)

Skeletal (includes

Type of Anatomic

Vessels

Nerves

joints)

Skin

Structure

(1) (2)

(3)

(4)

(5)

(6)

(9)

The exceptions to this rule apply to:

02.

Whole Area (02) Skin - Abrasion

consecutive two digit

(04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion

(10) Amputation

(20) Burn (30) Crush (40) Degloving

(50) Injury - NFS

(90)Trauma, other than mechanical

Head - LOC

(02) Length of LOC

(04) Level (06) of

(08) Consciousness

(10) Concussion

**Spine** 

Cervical (02)(04)Thoracic (06) Lumbar

**Abbreviated Injury Scale** 

severity.

within the organizational

is assigned to an injury

where only one injury is

that anatomic structure.

injury NFS as to lesion or

99 is assigned to any

given in the dictionary for

NFS as to severity or

framework of the AIS, 00

(1) Minor Injury Moderate Injury (2)

(3) Serious Injury

(4) Severe Injury Critical Injury (5)

Maximum (6)(untreatable)

(7)Injured, unknown severity

**SOURCE OF INJURY DATA** 

**INJURY SOURCE CONFIDENCE LEVEL**  **DIRECT/INDIRECT INJURY** 

## OFFICIAL RECORDS

- (1) Autopsy records with or without hospital/medical records
- (2) Hospital/medical records other than emergency room (e.g., discharge summary)
- (3) Emergency room records only (including associated X-rays or other lab reports)
- (4) Private physician, walk-in or emergency clinic

#### **UNOFFICIAL RECORDS**

- (5) Lay coroner report
- (6) E.M.S. personnel
- (7) Interviewee
- (8) Other source (specify):
- (9) Police


- (1) Certain
- (2) Probable
- (3) Possible
- (9) Unknown

- (1) Direct contact injury
- (2) Indirect contact injury (3) Noncontact injury
- Injured, unknown source


			INJURY	SOUF	RCES		
FRON	T	(102)	Right side hardware or	(183)	Air bag-passenger side and	(411)	Wall mounted head rest
	Windshield	(102)	armrest	(100)	object held		(used behind wheel chair)
	Mirror	(103)	Right A (A1/A2)-pillar	(184)	Air bag-passenger side and	(412)	Other adaptive device
	Sunvisor		Right B-pillar	(104)	object in mouth	, , , , _ ,	(specify):
			_ ·	/10E\	•		(specify).
	Steering wheel rim	(105)	Other right pillar (specify):	(163)	Air bag compartment		
	Steering wheel hub/spoke	(100)	Dish aid a day also	(400)	cover-passenger side	FVTFF	NOD - COCCUDANTIO
(006)	Staetung wheel (combination		Right side window glass	(186)	Air bag compartment		RIOR of OCCUPANT'S
	of codes 004 and 005)	(107)	Right side window frame		cover-passenger side and	VEHIC	LE
(007)	Steering column,	(108)	Right side window sill		eyewear	(451)	Hood
	transmission selector lever,	(109)	Right side window glass	(187)	Air bag compartment	(452)	Outside hardware (e.g.,
	other attachment		including one or more of the		cover-passenger side and		outside mirror, antenna)
(800)	Cellular telephone or CB		following: frame, window		jewelry .	(453)	Other exterior surface or
	radio		sill, A (A1/A2)-pillar, B-pillar,	(188)	Air bag compartment		tires (specify):
(009)	Add on equipment (e.g.,		or roof side rail.	,,	cover-passenger side and		co topoony,.
(000)	tape deck, air conditioner)	(110)	Other right side object		object held		
(010)		(110)	•	11.00	•	14541	11-1
(010)	Left instrument panel and		(specify):	(189)	Air bag compartment	(454)	Unknown exterior objects
	below				cover-passenger side and		
(011)	Center instrument panel and				object in mouth	EXTER	RIOR OF OTHER MOTOR
	below	INTER	IOR	(190)	Other air bag (specify)	VEHIC	LE
(012)	Right instrument panel and	(151)	Seat, back support			(501)	Front bumper
	below	(152)	Belt restraint webbing/buckle	(195)	Other air bag compartment	(502)	Hood edge
(013)	Glove compartment door	(153)	Belt restraint B-pillar or door		cover (specify)		Other front of vehicle
	Knee boister		frame attachment point		,		(specify):
	Windshield including one or	(154)	Other restraint system				topoch yy.
(0.0,		(104)	component (specify):	ROOF		(EO4)	Hood
	more of the following: front		component (specify).				
	header, A (A1/A2)-pillar,				Front header		Hood ornament
	instrument panel, mirror, or		Head restraint system	(202)	Rear header	(506)	Windshield, roof rail, A-pillar
	steering assembly (driver	(160)	Other occupants (specify):	(203)	Roof left side rail	. (507)	Side surface
	side only)			(204)	Roof right side rail	(508)	Side mirrors
(016)	Windshield including one or	(161)	Interior loose objects	(205)	Roof or convertible top	(509)	Other side protrusions
	more of the following: front	(162)	Child safety seat (specify):				(specify):
	header, A (A1/A2)-pillar,			FLOOI	R		.,
	instrument panel, or mirror	(163)	Other interior object		Floor (including toe pan)	(510)	Rear surface
	(passenger side only)	(100,	(specify):		Floor or console mounted		Undercarriage
(017)	- · · · · · · · · · · · · · · · · · · ·		(specify).	(252)			
(017)	Windshield reinforced by				transmission lever, including		Tires and wheels
	exterior object (specify)				console	(513)	Other exterior of other moto
		AIR B	AG	(253)	Parking brake handle		vehicle (specify):
(019)	Other front object (specify):	(170)	Air bag-driver side	(254)	Foot controls including		
		(171)	Air bag-driver side and		parking brake	(514)	Unknown exterior of other
			eyewear				motor vehicle
LEFT S	SIDE	(172)	Air bag-driver side and	REAR			
(051)	Left side interior surface,		jewelry		Backlight (rear window)	OTHE	R VEHICLE OR OBJECT IN
,,	excluding hardware or	(173)	Air bag-driver side and object				
	· ·	(1/3)		(302)	Backlight storage rack,		NVIRONMENT
(OE O)	armrests		held .	,	door, etc.		Ground
(052)	Left side hardware or	(174)	Air bag-driver side and object	(303)	Other rear object (specify):	(598)	Other vehicle or object
	armrest		in mouth				(specify):
(053)	Left A (A1/A2)-pillar	(175)	Air bag compartment				11111 4 (100
(054)	Left B-pillar		cover-driver side	ADAP	TIVE (ASSISTIVE) DRIVING	(599)	Unknown vehicle or object
(055)	Other left pillar (specify):	(176)	Air bag compartment	EQUIP	PMENT		· ·
			cover-driver side and	(401)	Hand controls for	NONC	ONTACT INJURY
(056)	Left side window glass		eyewear	,	braking/acceleration		Fire in vehicle
	Left side window frame	(177)	Air bag compartment	(402)	•		
		(1//)	•	(402)	Steering control devices		Flying glass
	Left side window sill	1470.	cover-driver side and jewelry		(attached to OEM steering	(603)	Other noncontact injury
(059)	Left side window glass	(178)	Air bag compartment		wheel)		source
	including one or more of the		cover-driver side and object	(403)	Steering knob attached to		(specify):
	following: frame, window		held		steering wheel	(604)	Air bag exhaust gases
	sill, A (A1/A2)-pillar, B-pillar,	(179)	Air bag compartment	(405)	Replacement steering wheel	(697)	Injured, unknown source
	or roof side rail.		cover-driver side and object		(i.e., reduced diameter)		
	Other left side ships		in mouth	(406)	Joy stick steering controls		
(060)	Other left side object				Wheelchair tie-downs		
(060)	· ·	(180)	Air bag-bassenger sine	(407)			
(060)	(specify):		Air bag-passenger side	IACO	Modification to some balan		
(060)	· ·		Air bag-passenger side and	(408)	Modification to seat belts,		
-	(specify):	(181)	Air bag-passenger side and eyewear		(specify):		
RIGHT	(specify):	(181)	Air bag-passenger side and eyewear Air bag-passenger side and				
RIGHT	(specify):  SIDE Right side interior surface,	(181)	Air bag-passenger side and eyewear		(specify):		
RIGHT	(specify):	(181)	Air bag-passenger side and eyewear Air bag-passenger side and		(specify):Additional or relocated		

# OFFICIAL INJURY DATA — SOFT TISSUE INJURIES Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are 14abrasion behind Dear unavailable.) 3 "Hand of abrasions/lacerations Discrete early 2"x134a brasion, 14 vertical laceration Of forehead Restrained? Yes hemogrhage **Blood Alcohol Level** (mg/dl) BAL = 5 1" laceration E submental Glasgow Coma **Scale Score** abrasions ( GCSS = ateral neck Units of Blood Given Units = ( multiple abrasions ovar Obiceps **Arterial Blood Gases** PO, = abrasions (L abdomen PCO<sub>2</sub> HCO<sub>3</sub>

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation

## **SMASH PROGRAM SUMMARY**

	(All Measurements in N		
Identifying Title			
81 015	<u> </u>	2 96	
Primary Case NoSt Sampling Unit			า
	GENERAL INFORM	VIATION	
VEHICLE I		VEHICLE 2	•
NASS Vehicle Number		SS Vehicle Number	
Year		ar	
Make CHEVROLET	Ma	ke	
Model <u>C - 1500</u>		del	
Body Style			
cdc <u>l 2 l</u>	FLEW3 CD	c Barrier	
PDOF ±	PD0	OF ±	°
Heading Angle ±	<u>350</u> ° Hea	eding Angle ±	°
S			
VEHICLE I		VEHICLE 2	
Wheelbase _	_ <u>334</u> cm Wh	eelbase	cm
Overall Length	<u>541</u> cm Ove	erall Length	cm
Overall Width		erall Width	cm
Weight		ight	
1756+64+68=1	<u> </u>	++	kg
Curb Occupant(s) Cargo		Curb Occupant(s) Cargo	
Engine Displacement	<u> </u>	gine Displacement	· L
Drive System		ve System	
Size	<u>6</u> Siz	e	
Stiffness	<u>8</u> Sti	ffness	
Remark   Case NoStratum   Accident Event   Sequence No.   Data (Month, day, year) of Run			
VEHICLE I		VEHICLE 2	
Damage Known?		mage Known?	<u> </u>
Damage Length		mage Length	cm
Damage Offset ±	<u>-61</u> cm Da	mage Offset ±	cm
Crush Depth: C1	<u>68</u> cm Cri	ush Depth: C1	cm
		C2	cm
C3	1 <u>_3</u> cm	С3	cm
C4	<i></i> 5_ cm	C4	cm

SCENE INFORMATION					
	Rest and Impact P	ositions [X] No [ ] Yes			
	VEHICLE 1	VEHICLE 2			
Rest	x	n Rest X m			
Position	Y	m Position Y m			
	Heading Angle	° Heading Angle °			
Impact	X	n Impact X m			
Position	Υ	m Position Y m			
	Heading Angle	° Heading Angle °			
Slip Angle (-1	180 to +180)	° Slip Angle (-180 to +180) °			
	VEHI	CLE MOTION			
Sustained Co	ontact [ ] No [ ] Yes  VEHICLE 1	Sustained Contact [ ] No [ ] Yes VEHICLE 2			
Vehicle Rotation		Vehicle Rotation [ ] No [ ] Yes Rotation Stop Before Rest [ ] No [ ] Yes			
End of Ro	otation X r	m End of Rotation X m			
Position	Υ	m Position Y m			
Curved Path	Heading Angle [ ] No [ ] Yes	Heading Angle ° Curved Path [] No [] Yes			
Point on	Path m	Point on Path  X m Y m			
Rotation Dire	ction [ ] None [ ] CW [ ] CCW	Rotation Direction [ ] None [ ] CW [ ] CCW			
	FRICTION	N INFORMATION			
Coefficient of Rolling Resis	of Friction stance Option	· <u> </u>			
v	ehicle 1 Rolling Resistance	Vehicle 2 Rolling Resistance			
l L	LF	LF			
	RF ·	RF ·			
į	LR · RR .	LR · RR ·			
IF THIS C	COMMON IMPACT WAS WITH A CDS VEHI	ICLE NOT IN TRANSPORT, FILL IN THE INFORMATION BELOW.			
Model Year:		The Weight, CDC, Scene Data and Damage Information for this vehicle should be recorded above.			
Make:		Complete and ATTACH the appropriate			
Model:					
VIN:		damage sketch and dimensions to the form.			

```
Page 1
```

```
_° ° @44@
```

Summary of Results Using Damage

014A

Speed Change (Damage)

Vehicle #1

Total 33 km/h ( 21 mph) Longitudinal -33 km/h ( -21 mph) Latitudinal 0 km/h ( 0 mph) PDOF Angle

Energy Dissipated = 110072 Joules ( 81174 Ft-Lb) Barrier Equivalent Speed = 33.3 km/h ( 20.7 mph)

Calculated using size and stiffness categories.

Vehicle #2

Total 0 km/h ( 0 mph) Longitudinal 0 km/h ( 0 mph) Latitudinal 0 km/h ( 0 mph)

PDOF Angle

O Ft-Lb) Energy Dissipated == O Joules ( Barrier Equivalent Speed = 0.0 km/h 0.0 mph) (

Calculated using size and stiffness categories.

## General Information

	Vehicle #1	Vehicle #2	
Year Make Model	1995 CHEVROLET C-15	1900	
CDC Side Damaged PDOF Angle	12FLEW3 F 0 °	BARRIER O ° O °	
Heading Angle	350 °	Size and Stiffness	
Calculation method:			
Size Category Stiffness Category Vehicle Weight	6 8 1890 kas ( 4167 lbs)	11 11 453592 kgs ( 999999 lbs)	

## Damage Information

	Vehicle #1	Vehicle #2	
Vehicle Damage Known	Yes	Yes	
Crush Length	184.0 cm ( 72 in)	0.0 cm ( 0 in)	
C1	68.0 cm ( 27 in)	0.0 cm ( 0 in)	
C2	29.0 cm ( 11 in)	0.0 cm ( 0 in)	
C3	13.0 cm ( 5 in)	0.0 cm ( 0 in)	
C4	5.0 cm ( 2 in)	0.0 cm ( 0 in)	
C5	0.0 cm ( 0 in)	0.0 cm ( 0 in)	
C6	0.0 cm ( 0 in)	0.0 cm ( 0 in)	
D	-60.9 cm ( -24 in)	0.0 cm ( 0 in)	
D'	-95.9 cm ( -38 in)	0.0 cm ( 0 in)	

#### Vehicle Dimensions

Vehicle Dimensions				
	Vehicle #1	Vehicle #2		
Length	541.0 cm ( 213 in)	0.0 cm ( 0 in)		
Width Wheelbase Weight	195.0 cm ( 77 in) 334.0 cm ( 131 in) 1890 kqs ( 4167 lbs)	254.0 cm ( 100 in)		
CG to Front of Veh Engine Displacement	264.7 cm ( 104 in)	127.0 cm ( 50 in) 0.0 liters		
Moment of Inertia Vehicle Mass	499752 kgs ( 44234 lbs)	29375740821 kgs (2600101632 lbs)  53515 kgs (2600.1 lb-s^2/in)		

## 1995 CHEVROLET C-15 VEH 1 +

Final

```
81014A00000011 969.000000000000000004 969696
                                                                96010417000
00200000002083407 0101
                1969.001000000000131F42000
B1014A00010012
                3969.0019600000000131F42000
81014A00020012
                 969.0010000000000131F42000
81014A00030012
                 969.0010000000000131R42000
81014A00040012
                   9.00 0000000009520481311GCEC14Z3SZ
                                                       0199905671571
B1014A01000021
0212242000990612999410
                   9.00 000000001010112017600700000000099899800110999 999 99
B1014A01000022
999999999998301
                   9.00 00000000014212FYAW0802429999999184068029013005000000-
B1014A01000031
061
                           18404333499911000401050101001000
81014A01000041
                   9.00 0000000098210004000012200200122002003610060021100100
                   9.00 000000001105421102321101321106321110321116321113331203
81014A01000042
321114231115221000000000512120
                   9.00 000000003611780761119121205400001000000211001111011 99
81014A01010051
62101012211305160160000000000041000620102030422011011
                   9.00 0000000001150200380531104
B1014A01010161
                   9.00 0000000001140652420531104
81014A01010261
                   9.00 0000000001140202580531104
81014A01010361
                   9.00 0000000001140684310531104
81014A01010461
81014A01010561
                   9.00 0000000001140684320531104
                   9.00 0000000001441406310061100
81014A01010661
                   9.00 0000000001541610210061100
81014A01010761
                   9.00 0000000001640208360532204
81014A01010861
                   9.00 0000000001640208360532204
B1014A01010961
                   9.00 0000000001711000325982100
81014A01011061
81014A01011161
                   9.00 0000000001811000325982100
                   9.00 0000000001851814320102102
81014A01011261
                   9.00 0000000001290602170152104
81014A01011361
                   9.00 0000000001290202125982100
81014A01011461
81014A01011561
                   9.00 0000000001290602125982100
                   9.00 0000000001290602180012110
81014A01011661
                   9.00 0000000001390202125982100
81014A01011761
81014A01011861
                   9.00 0000000001790602125982100
                   9.00 0000000001790202125982100
B1014A01011961
81014A01012061
                   9.00 0000000001490202125982100
                   9.00 0000000001590202125982100
81014A01012161
81014A01012261
                   9.00 0000000001890802125982100
                   9.00 000000000LT.TRUCK/TREE-L.SIDE DEPARTURE
81014A00000066
81014A00000171
                   9.00 00000000Vehicle #1 was traveling northbound on a two l
ane, two way, undivided
                   9.00 000000000roadway.
                                           The road was icy and slightly uphill
B1014A00000271
   Vehicle #1 attempeted to
81014A00000371
                   9.00 00000000pass another vehicle, lost control and left th
e roadway on the left shoulder.
                   9.00 00000000Vehicle #1 entered a ditch and struck a series
B1014A00000471
 of four trees and then rotated
                   9.00 00000000CCW and came to rest facing southwest with its
B1014A00000571
 rear wheels in the southbound
81014A00000671
                    9.00 0000000001ane.
                                        The driver was totally ejected and fata
             Vehicle #1 was
lly injured.
81014A00000771
                   9.00 000000000towed due to damage.
81014A00000181
                   9.00 00000000001 Pickup
                                                   1995 Chevrolet
                                                                        Front
    Severe
              None
                    9.00 00000000001 Driver
                                             F/L
                                                        Air Baq
                                                                   Brainstem
B1014A00000191
              A-Pillar
ompression 5
```

0000000000000

GENERAL VEHICLE Vehicle: 1 11 INTRA ERRORS

OGGO191 2 If ALCOHOL TEST GV14 equals 05-49, then REPORTED ALCOHOL GG0192 PRESENCE GV13 should equal 1.

O

INTERIOR VEHICLE Vehicle: 1

**INTRA ERRORS** 

- OCCO531 2 \*\*\*\*\*\* THIS CASE SHOWS A DOOR OR HATCH OR GATE OPENING \*\*\*\*\*\*

  CCO532 \*\*\*\*\*\* CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE \*\*\*\*\*\*

  CCO533 DOOR LEFT FRONT IVO5 equals 2 or IVO6 equals 2 or IVO7 equals 2

  CCO534 or IVO8 equals 2 or IVO9 equals 2.
- CC0541 2 \*\*\*\*\*\*\* THIS CASE SHOWS A FOSSIBLE HOLED WINDSHIELD. \*\*\*\*\*\*\*
  CC0542 \*\*\*\*\* CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE \*\*\*\*\*\*
  CC0543 GLAZING WINDSHIELD IV31 equals 3 or 5 or CONTACT WINDSHIELD IV39
  CC0544 equals 4 or 6.

O DCCUPANT ASSESSMENT Vehicle: 1 Occupant: 1 11 INTRA ERRORS

OHH1271 2 \*\*\*\*\*\* THIS CASE SHOWS EJECTION WITH RESTRAINT USAGE. \*\*\*\*\*\*

HH1272 \*\*\*\*\*\* CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE \*\*\*\*\*\*

HH1273 EJECTION DA12 is equal to 1-3 and ((MANUAL BELT USE DA19 does not equal 00, 01 or 99) or

HH1274 HH1275 (FRONTAL AIR BAG SYSTEM DEPLOYMENT DA31 does not equal 0, 7 or

HH1276 9) or (AUTOMATIC BELT USE DA24 does not equal 0, 2 or 9)).

01

PSUB1 CASE 014A

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN

96

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	o	0	o	Y
General Vehicle	O	0	1	Υ
Vehicle Exterior	0	0	0	Υ
Vehicle Interior	0	0	2	Υ
Occupant Assessment	t O	0	1	Υ
Occupant Injury	0	0	0	Υ
Total Inter Errors		0	0	
Total Case Errors	0	•	4	

U.S. Department of Transportation

National Highway Traffic Safety Administration

## **SLIDE INDEX**

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Primary S	ampling Ur	nit Number	81 Case Number-Stratum 014A
Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter
			(SCENE)
1-5	1	N	APPROACH TO Imp#1  TREE'S Imp#1 \$#2  TREE Imp#3
1-5 6-7 8-9	11	N	TREE'S Jup #1 \$ # 2
8-9	//	N	TREE INP#3
10-11	"	N	PATH OF TRAVEL TO FR AREA
12-14	"	N	
15-20	"	5	LOCKING BACK FROM FR AREA
			(VEH#I)
21-51			EXTERIOR
52-53	"		TOOL BOX GAS TANK INTERIOR
54-56	"		GAS TANK
57-87	(1		INTERIOR
		ļ	

Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter











4A (1996) #



U 81-014A (1996) #





HH (1980) #1



4M (1990) #9



JIAN (1990) #1











4A (1996) #15













-014A (1996) #2





Best Available



PSU 81-014A (1996) #2



PSU 81-014A (1996) #2



Available



















est Available





4A (1996) #37









t Available





allable









Pout Audiable









014A (1996) #5























PSU 81-014A (1996) #6



Best Available





Best Available



Best Available







4 (1990) woa















Marilable



Best Available





















/14A (1996) #8